ERGON E

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene 70E

Identification number 649-466-00-2 (Index number)

Registration number 01-2119480375-34

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Aspiration hazard Category 1 H304 - May be fatal if swallowed

and enters airways.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Distillates (petroleum), hydrotreated light naphthenic

Hazard pictograms

Signal word Danger

Material name: HyPrene 70E - Ergon International

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

Prevention

P260 Do not breathe gas/fumes/vapour/spray.

Response

5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019

P331 Do NOT induce vomiting.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated light naphthenic	< 100	64742-53-6 265-156-6	01-2119480375-34	649-466-00-2	
Classification:	Asp. Tox. 1	;H304			

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

Material name: HyPrene 70E - Ergon International 5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits **Belgium. Exposure Limit Values**

Material	Туре	Value	Form
HyPrene 70E	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 1 Material	3 on protection of workers a Type	against risks of exposure to Value	chemical agents at work
HyPrene 70E	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Czech Republic. OELs. Governm	ent Decree 361		
Material	Туре	Value	
HyPrene 70E	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Value	S		
Material	Туре	Value	Form
HyPrene 70E	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum),	TLV	1 mg/m3	Mist.

hydrotreated light naphthenic (CAS 64742-53-6)

Material	Туре	Value	Form
HyPrene 70E	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
oistillates (petroleum), ydrotreated light aphthenic (CAS 4742-53-6)	TWA	5 mg/m3	Mist.
Compounds in the Work Area (-	_	
Components	Туре	Value	Form
vistillates (petroleum), ydrotreated light aphthenic (CAS 4742-53-6)	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/1	999, as amended)		
Material	Туре	Value	Form
lyPrene 70E	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
lungary. OELs. Joint Decree or Material	n Chemical Safety of Workplac Type	es Value	Form
HyPrene 70E	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	
Distillates (petroleum), hydrotreated light haphthenic (CAS 14742-53-6)	TWA	5 mg/m3	
Iceland. OELs. Regulation 154/ Material	1999 on occupational exposul Type	re limits Value	Form
HyPrene 70E	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light haphthenic (CAS 14742-53-6)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Material	e Limits Type	Value	Form
HyPrene 70E	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Li Material	imits Type	Value	Form
HyPrene 70E	TWA	5 mg/m3	Inhalable fraction.
IVELENC / UL		Value	Form
Components	Туре	value	. 0

Material name: HyPrene 70E - Ergon International 5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019

Distillates (petroleum),	TWA	5 mg/m3	
nydrotreated light naphthenic (CAS 64742-53-6)		g ,	
ithuania. OELs. Limit Values for (Material	Chemical Substances, Gen Type	eral Requirements Value	Form
HyPrene 70E	STEL	3 mg/m3	Fume and mist.
Tyrrene 70E	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum),	STEL	3 mg/m3	Fume and mist.
ydrotreated light aphthenic (CAS 4742-53-6)	SIEL	3 Hig/ili3	rume and misc.
	TWA	1 mg/m3	Fume and mist.
letherlands. OELs (binding)			
Material	Туре	Value	Form
lyPrene 70E	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 34742-53-6)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Wor Type	kplace Value	Form
lyPrene 70E	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light	TLV	1 mg/m3	Mist.
54742-53-6) Poland. Ordinance of the Minister concentrations and intensities of h			
54742-53-6) Poland. Ordinance of the Minister concentrations and intensities of b	narmful health factors in t	he work environment, Journa	of Laws 2014, item 81
54742-53-6) Poland. Ordinance of the Minister concentrations and intensities of b	narmful health factors in t Type	he work environment, Journa Value	of Laws 2014, item 81 Form
64742-53-6) Poland. Ordinance of the Minister concentrations and intensities of hydraerial HyPrene 70E	narmful health factors in t Type STEL	he work environment, Journal Value 10 mg/m3	of Laws 2014, item 81 Form Aerosol
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS	narmful health factors in t Type STEL TWA	he work environment, Journal Value 10 mg/m3 5 mg/m3	of Laws 2014, item 81 Form Aerosol Aerosol
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS	narmful health factors in t Type STEL TWA Type	he work environment, Journa Value 10 mg/m3 5 mg/m3 Value	of Laws 2014, item 81 Form Aerosol Aerosol Form
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6) Portugal. VLEs. Norm on occupation	narmful health factors in t Type STEL TWA Type TWA	he work environment, Journal Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm	Aerosol Form Inhalable fraction.
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6) Portugal. VLEs. Norm on occupation	narmful health factors in t Type STEL TWA Type TWA TWA	he work environment, Journal Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796) Value	Aerosol Aerosol Form Inhalable fraction.
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 14742-53-6) Portugal. VLEs. Norm on occupation desired in the concentration of t	narmful health factors in t Type STEL TWA Type TWA Twa Twa Twa Type Twa Type	he work environment, Journal Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796)	Aerosol Aerosol Form Inhalable fraction. Form
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 14742-53-6) Portugal. VLEs. Norm on occupation of the Material HyPrene 70E	STEL TWA TYPE TWA Type TWA TYPE TWA TYPE TWA TYPE TWA TYPE TYPE TYPE STEL TWA	he work environment, Journal Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796) Value 10 mg/m3	Aerosol Inhalable fraction. Form Aerosol Aerosol Form Aerosol Aerosol
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupation Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-65)	narmful health factors in t Type STEL TWA Type TWA TWA TWA Type STEL STEL	he work environment, Journa Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796) Value 10 mg/m3 5 mg/m3	Aerosol Ahalable fraction. Form Inhalable fraction. Form Aerosol Aerosol Aerosol Aerosol Aerosol
naphthenic (CAS 64742-53-6) Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), nydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupation Material HyPrene 70E Components Distillates (petroleum), nydrotreated light naphthenic (CAS 64742-53-6) Romania. OELs. Protection of worl Material	narmful health factors in t Type STEL TWA Type TWA Type STEL TWA Type STEL TWA Type TWA Type TWA	he work environment, Journa Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 5 mg/m3 Value 5 mg/m3	Aerosol Aerosol Form Inhalable fraction. Form Aerosol Form Aerosol Aerosol Form Aerosol Aerosol Form Inhalable fraction.
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupation Material HyPrene 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Romania. OELs. Protection of worl	stel Twa Type STEL TWA Type TWA Type TWA Type STEL TWA Type STEL TWA Type TWA Type TWA Type TWA Type TWA	he work environment, Journal Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 0 ppm agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value	Aerosol Aerosol Form Inhalable fraction. Form Aerosol Form Aerosol Aerosol Form Aerosol Aerosol Form Inhalable fraction.

Material name: HyPrene 70E - Ergon International

SDS EU 5 / 12

Components	n of workers from exposure to che Type	Value	-
Distillates (petroleum), nydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulatio Components	n No. 300/2007 concerning protec Type	tion of health in work with Value	chemical agents Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo Material	sure Limits Type	Value	Form
HyPrene 70E	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi	ronment Authority (AV), Occupation	onal Exposure Limit Values	(AFS 2015:7)
Material	Туре	Value	Form
HyPrene 70E	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz	werte am Arbeitsplatz		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted for the ingredient(s).		
ogical minic values			

Biol

Reco

prod

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Distillates (petroleum), hydrotreated light r	aphthenic (CAS 64742-53-6)		
Long-term, Local, Inhalation	1,19 mg/m3	75	Repeated dose toxicity
Long-term, Systemic, Oral	0,74 mg/kg	120	Repeated dose toxicity
<u>Workers</u>			
Components	Value	Assessment factor	Notes
Components Distillates (petroleum), hydrotreated light r		Assessment factor	Notes
		Assessment factor 45	Notes Repeated dose toxicity
Distillates (petroleum), hydrotreated light r	naphthenic (CAS 64742-53-6)		

Material name: HyPrene 70E - Ergon International

SDS EU

5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019

Predicted no effect concentrations (PNECs)

Components Value Assessment factor Notes

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Secondary poisoning 9,33 mg/kg Oral

Exposure guidelines

Austria MAK: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Belgium OELs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Croatia ELVs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Czech Republic PELs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Estonia OELs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

EU. OELs from Annex III, Part A to Directive 2004/37/EC: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Iceland OELs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Ireland Exposure Limit Values: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Lithuania OELs: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Netherlands OELs (binding): Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Slovakia OELs for Carcinogens and Mutagens: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Slovenia. CMR. Protection of workers from exposure to carcinogen and mutagen agents (ULRS 101/2005, as amended)

8.2. Exposure controls

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

(CAS 64742-53-6)

Sweden Threshold Limit Values: Skin designation

Distillates (petroleum), hydrotreated light naphthenic Can be absorbed through the skin.

occupational exposure limit is not exceeded.

(CAS 64742-53-6)

Appropriate engineering Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

controls

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Goggles/face shield are recommended. Eye protection should meet standard EN 166.

Skin protection

Wear suitable gloves tested to EN374. Chemical resistant gloves are recommended. If contact with - Hand protection

> forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash

protection Neoprene, PVC gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Material name: HyPrene 70E - Ergon International SDS EU 5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019 7 / 12 Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

meeting EN14387.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid.

Colour Water White to Pale yellow Odour Mild Petroleum Odor Melting point/freezing point -57 °C (-70,6 °F)

Boiling point or initial boiling point and boiling range

> 226,67 °C (> 440 °F) ASTM D 2887/ ISO 3294

Flammability Will burn if involved in a fire.

158.0 °C (316.4 °F) Cleveland open cup Flash point

148,0 °C (298,4 °F) Pensky-Martens Closed Cup ASTM D93

Auto-ignition temperature > 315,56 °C (> 600 °F)

Decomposition temperature The property has not been measured. The property has not been measured.

Kinematic viscosity

The property has not been measured.

Solubility

Solubility (water) Insoluble

Vapour pressure The property has not been measured.

Density and/or relative density

Relative density 0,894 (15,56 °C (60 °F) ASTM D 4052/ ISO 12185)

Vapour density

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with No relevant additional information available. regard to physical hazard

classes

9.2.2. Other safety characteristics

Miscible (water) The property has not been measured. **Viscosity** 12,5 cSt (40 °C (104 °F) ISO 3104)

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular 10.6. Hazardous

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Symptoms Exposure may cause temporary irritation, redness, or discomfort. Defatting of the skin, Coughing.

Shortness of breath. Discomfort in the chest.

11.1. Information on toxicological effects

Not applicable. **Acute toxicity**

Test Results Components **Species**

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Dermal

LD50 Rat > 2000 mg/kg

Inhalation

LC50 Rat $> 5000 \text{ mg/m}^3$

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye

irritation

Not classified. May cause minor irritation on eye contact.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Chilean Spanish went out in Job 18-0024189. French and German were reviewed under

17-0023466 and Hindi under 17-0023485

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU Carcinogenicity

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Causes central nervous system effects.

Specific target organ toxicity

- repeated exposure

Not classified.

May be fatal if swallowed and enters airways. **Aspiration hazard**

Mixture versus substance

information

Not available.

11.2. Information on other hazards

Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Risk of chemical pneumonia after aspiration.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Material name: HyPrene 70E - Ergon International

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB assessment This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste codeNot applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RTD

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

bulk according to IMO

methods/information

instruments

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name On inventory (yes	s/no)*		
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Voe" indicates that all components of this product comply with the inventory requirements administered by the governing country/s				

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

SECTION 16: Other information

List of abbreviations Not available. **References** ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

full under sections 2 to 15

Not available.

Full text of any statements, H304 May be fatal if swallowed and enters airways. **which are not written out in**

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Training information Not available.

Material name: HyPrene 70E - Ergon International
5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyPrene 70E - Ergon International

SDS EU 5464 Version #: 03 Revision date: 16-November-2022 Issue date: 14-May-2019