

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HvGold Olympus L500

**Identification number** 649-465-00-7 (Index number)

**Registration number** 01-2119467170-45

**Synonyms** None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

SAFETY DATA SHEET

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**MANUFACTURER:** Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

**EU Contact:** Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

**Emergency Phone** 

**Numbers:** 

**US Customer Service:** + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527,-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

sds@ergon.com E-mail:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

# 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None. Signal word None.

The substance does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

**Prevention** Not applicable. Response Not applicable. **Storage** Not applicable. **Disposal** Not applicable.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

> The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Material name: HyGold Olympus L500 - Ergon International SDS EU

General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	_				L

**Composition comments** 

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract

for total polycyclic aromatic compound (PAC) using IP 346.

#### **SECTION 4: First aid measures**

**General information** Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eve contact** Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

**Unsuitable extinguishing** 

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away.

For emergency responders

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure

adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

5748 Version #: 04 Revision date: 17-November-2022 Issue date: 12-November-2018

## 6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS, For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.

Observe industrial sector guidance on best practices.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Occupational exposure limits

Belgium. Exposure Limit Values		Walaa	Fa
Material	Туре	Value	Form
HyGold Olympus L500	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 1 Material	.3 on protection of workers a Type	against risks of exposure to Value	chemical agents at work
HyGold Olympus L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Denmark. Exposure Limit Value	s		
Material	Туре	Value	Form
HyGold Olympus L500	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Li	mits		
Material	Туре	Value	Form
HyGold Olympus L500	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.

Material name: HyGold Olympus L500 - Ergon International

SDS EU 5748 Version #: 04 Revision date: 17-November-2022 Issue date: 12-November-2018 3 / 10

Material	Туре	Value	Form
lyGold Olympus L500	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999, as Material	s amended) Type	Value	Form
HyGold Olympus L500	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 34742-52-5)	TWA	5 mg/m3	Mist.
lungary. OELs. Joint Decree on Chemi Iaterial	ical Safety of Workplace Type	s Value	
lyGold Olympus L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Iceland. OELs. Regulation 154/1999 o Material	on occupational exposure Type	e limits Value	Form
HyGold Olympus L500	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Material	; Type	Value	Form
HyGold Olympus L500	TWA	5 mg/m3	Inhalable fraction.
taly. Occupational Exposure Limits Naterial	Туре	Value	Form
HyGold Olympus L500	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure li Material	imit values of chemical s Type	ubstances in work envir Value	onment
HyGold Olympus L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Cher Material	mical Substances, Gener Type	al Requirements Value	Form
HyGold Olympus L500	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
	Туре	Value	Form
Components	Type		

Components	Туре	Value	Form
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyGold Olympus L500 Components	TWA	5 mg/m3 <b>Value</b>	Mist. <b>Form</b>
<u> </u>	<b>Type</b> TWA	5 mg/m3	Mist.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TVVA	5 Hig/His	Mist.
Norway. Administrative Norm Material	s for Contaminants in the Wor Type	kplace Value	Form
HyGold Olympus L500	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
	ster of Labour and Social Polic s of harmful health factors in t Type		
HyGold Olympus L500	TWA	5 mg/m3	Inhalable fraction.
TyGold Olympus Lood	TWA	0 ppm	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy	TWA	5 mg/m3	Inhalable fraction.
naphthenic (CAS 64742-52-5)			
naphthenic (CAS 64742-52-5)		0 ppm	Inhalable fraction.
naphthenic (CAS 64742-52-5)	pational exposure to chemical Type		Inhalable fraction.  Form
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu Material		agents (NP 1796) Value	Form
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu	Туре	agents (NP 1796)	
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu Material HyGold Olympus L500	<b>Type</b> TWA	agents (NP 1796) Value 5 mg/m3	Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	Type  TWA  Type	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	Type  TWA  Type  TWA  TWA  workers from exposure to che	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of	Type  TWA  Type  TWA  TWA  Workers from exposure to che Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  whical agents at the workple Value	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	Type  TWA  Type  TWA  TWA  Workers from exposure to che Type  STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  whical agents at the workple Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500	Type  TWA  Type  TWA  Workers from exposure to che Type  STEL TWA	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  smical agents at the workple Value  10 mg/m3 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	Type  TWA  Type  TWA  TWA  Workers from exposure to che Type  STEL TWA  Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  smical agents at the workplay Value 10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	Type  TWA  Type  TWA  Workers from exposure to che Type  STEL TWA  Type  STEL  STEL  STEL  STEL  STEL	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workple Value  10 mg/m3 5 mg/m3 Value  10 mg/m3 5 mg/m3 Value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	Type  TWA  Type  TWA  Workers from exposure to che Type  STEL TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workple Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  Value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.  ace chemical agents
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500  Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No	Type  TWA  Type  TWA  Type  TWA  Workers from exposure to che Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workplay Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  Value  10 mg/m3  **Triangle of the state of the	Form Inhalable fraction. Form Inhalable fraction.  ace  chemical agents Form
Portugal. VLEs. Norm on occup Material HyGold Olympus L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold Olympus L500  Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No Material	Type  TWA  Type  TWA  Type  TWA  Workers from exposure to che Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workple Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  value  3 mg/m3	Form  Inhalable fraction. Form  Inhalable fraction.  ace  chemical agents Form  Fume and mist.

Material name: HyGold Olympus L500 - Ergon International

5748 Version #: 04 Revision date: 17-November-2022 Issue date: 12-November-2018

Distillates (petroleum),	STEL	3 mg/m3	Fume and mist.
hydrotreated heavy naphthenic (CAS 64742-52-5)	0.22	5 <del>.</del>	, and and misc
,		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo	sure Limits		
Material	Туре	Value	Form
HyGold Olympus L500	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ironment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold Olympus L500	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Material	werte am Arbeitsplatz Type	Value	Form
HyGold Olympus L500	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
ommended monitoring cedures	Follow standard monitoring procedur	es.	
ived no effect levels IELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
oropriate engineering trols	Provide adequate ventilation, includir occupational exposure limit is not exc	ceeded.	to ensure that the defined
ividual protection measur General information	Personal protective equipment should with the supplier of the personal protection.	d be chosen according to the C	EN standards and in discus
Eye/face protection Skin protection	Goggles/face shield are recommende	d. Eye protection should meet	standard EN 166.
- Hand protection	Chemical resistant gloves are recomming gloves. When prolonged or frequent (Breakthrough time of > 240 minutes gloves may be suitable. Wear suitable	repeated contact occurs, Nitrile	gloves may be suitable.

gloves may be suitable. Wear suitable gloves tested to EN374.

Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

- Other

Respiratory protection No respiratory protection is ordinarily required under normal conditions of use. In accordance with

good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

meeting EN14387.

Thermal hazards Not available.

Always observe good personal hygiene measures, such as washing after handling the material and **Hygiene measures** 

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Physical state** Liauid. **Form** Liquid. Colour Light Amber

Mild Petroleum Odor Odour

-35 °C (-31 °F) ASTM D5949 Melting point/freezing point

Boiling point or initial boiling point and boiling range

306,11 °C (583 °F) ASTM D2887/ ISO 3294

**Flammability** Will burn if involved in a fire.

Flash point 224.0 °C (435.2 °F) Cleveland open cup ASTM D92/ ISO 2592

212,0 °C (413,6 °F) Pensky-Martens Closed Cup ASTM D93

**Auto-ignition temperature** > 315,56 °C (> 600 °F) ASTM E659

**Decomposition temperature** 

The property has not been measured. The property has not been measured.

Kinematic viscosity

 $>= 38.1 \text{ mm}^2/\text{s}$ 

Solubility

Solubility (water) Insoluble

**Partition coefficient** Not established.

(n-octanol/water) (log value)

Vapour pressure The property has not been measured.

Density and/or relative density

Relative density 0,906 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Vapour density

**Particle characteristics** 

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with No relevant additional information available.

regard to physical hazard

classes

9.2.2. Other safety characteristics

**Viscosity** 95,4 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)

### **SECTION 10: Stability and reactivity**

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons. decomposition products

Material name: HyGold Olympus L500 - Ergon International

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** May be harmful if swallowed and enters airways. However, this product does not currently meet

the criteria for classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

**Symptoms** Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

# 11.1. Information on toxicological effects

Not classified. **Acute toxicity** 

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

**Respiratory sensitisation** Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Note L -

## Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. Aspiration hazard Mixture versus substance Not available.

information

11.2. Information on other hazards

**Endocrine disrupting** 

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

## **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**Partition coefficient** 

n-octanol/water (log Kow)

Not established.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: HyGold Olympus L500 - Ergon International

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

around.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

Not applicable. Waste codes should be assigned by the user based on the application for which the **EU** waste code

product was used.

Disposal recommendations are based on material as supplied. Disposal must be in accordance with **Disposal** 

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

## **SECTION 14: Transport information**

#### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

ΤΔΤΔ

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk according to IMO

instruments

**General information** Not regulated as dangerous goods.

Not available.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

5748 Version #: 04 Revision date: 17-November-2022 Issue date: 12-November-2018

#### Other EU regulations

# Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

**National regulations** Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

**Inventory name** 

Domestic Substances List (DSL)

15.2. Chemical safety

assessment

Australia

Canada

Taiwan

country(s).

No Chemical Safety Assessment has been carried out.

Australian Inventory of Industrial Chemicals (AICIS)

#### **International Inventories**

Country(s) or region

Cariada	Domestic Substances List (DSL)	100
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

Taiwan Chemical Substance Inventory (TCSI)

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

#### SECTION 16: Other information

**List of abbreviations** Not available. **References** ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information Training information This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: HyGold Olympus L500 - Ergon International

On inventory (yes/no)\*

Yes

Yes

Yes