ERGON E

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene L2000

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

Material name: HyPrene L2000 - Ergon International 4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	-				L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eve contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves. rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

Material name: HyPrene L2000 - Ergon International 4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS, For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

Observe industrial sector guidance on best practices. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values

Material	Туре	Value	Form
HyPrene L2000	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 Material	on protection of workers a Type	against risks of exposure to Value	chemical agents at work
HyPrene L2000	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Czech Republic. OELs. Governmer	nt Decree 361		
Material	Туре	Value	
HyPrene L2000	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyPrene L2000	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limi			
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Mist.

Material name: HyPrene L2000 - Ergon International

SDS EU 4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory O Compounds in the Work Area (DFG)	-	_	
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/1999, Material	as amended) Type	Value	Form
HyPrene L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Che Material	mical Safety of Workplace Type	es Value	
HyPrene L2000	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
Celand. OELs. Regulation 154/1999 Material	on occupational exposur Type	e limits Value	Form
lyPrene L2000	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Lim Material	its Type	Value	Form
HyPrene L2000	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits		- 51	
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure Material	e limit values of chemical s Type	substances in work envir Value	onment
HyPrene L2000	TWA	5 mg/m3	
•	Туре	Value	
Components	T14/A	5 mg/m3	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS	TWA	J	
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for Ch			Form

Material name: HyPrene L2000 - Ergon International

SDS EU

Material	Туре	Value	Form
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms fo Material	r Contaminants in the Wor Type	kplace Value	Form
HyPrene L2000	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Poland, Ordinance of the Minister	of Labour and Social Polic	v on 6 June 2014 on the m	aximum nermissible
concentrations and intensities of Material	harmful health factors in t Type	he work environment, Jour Value	rnal of Laws 2014, item Form
concentrations and intensities of Material	harmful health factors in t	he work environment, Jour Value 5 mg/m3	Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000	harmful health factors in t Type TWA	he work environment, Jour Value 5 mg/m3 0 ppm	Inhalable fraction. Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components	harmful health factors in t Type TWA Type	he work environment, Jour Value 5 mg/m3 0 ppm Value	Inal of Laws 2014, item Form Inhalable fraction. Inhalable fraction. Form
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	harmful health factors in t Type TWA	he work environment, Jour Value 5 mg/m3 0 ppm	Inhalable fraction. Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	harmful health factors in t Type TWA Type	he work environment, Jour Value 5 mg/m3 0 ppm Value	Inal of Laws 2014, item Form Inhalable fraction. Inhalable fraction. Form
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati	harmful health factors in t Type TWA Type Type TWA	he work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm 0 ppm	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupatinaterial	harmful health factors in t Type TWA Type TWA TWA TWA Onal exposure to chemical	he work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm value 5 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000	harmful health factors in to Type TWA Type TWA TWA TWA TWA onal exposure to chemical Type	he work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm value 1 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form
Poland. Ordinance of the Minister concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	harmful health factors in to Type TWA Type TWA TWA Type TWA Onal exposure to chemical Type TWA	he work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	harmful health factors in to Type TWA Type TWA Onal exposure to chemical Type TWA Type TWA Type TWA Type TWA	he work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material	harmful health factors in to Type TWA Type TWA Type TWA Onal exposure to chemical Type TWA Type TWA Type TWA Type TWA Type TWA	the work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material	harmful health factors in to Type TWA Type TWA Onal exposure to chemical Type TWA Type TWA Type TWA Type TWA Type TWA Type	the work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 value 5 mg/m3 value 5 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor	harmful health factors in to Type TWA Type TWA Type TWA Onal exposure to chemical Type TWA Type TWA Type TWA Type TWA Sters from exposure to chemical Type STEL	the work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64542-645)	harmful health factors in to Type TWA Type TWA Onal exposure to chemical Type TWA	the work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
concentrations and intensities of Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of wor Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy	harmful health factors in to Type TWA Type TWA Type TWA Onal exposure to chemical Type TWA Type TWA Type TWA Type TWA Type TWA Type STEL TWA Type	the work environment, Jour Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value	Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.

Material	Туре	Value	Form
HyPrene L2000	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Exposure Material	Limits Type	Value	Form
HyPrene L2000	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environn	nent Authority (AV), Occupation	onal Exposure Limit Values	
Material	Туре	Value	Form
HyPrene L2000	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwert			_
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Inhalable fraction
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

Derived no effect levels (DNELs)

General Population

Product	Value	Assessment factor	Notes
HyPrene L2000 - Ergon International (CAS	64742-52-5)		
Long-term, Local, Inhalation	1,19 mg/m3	75	Repeated dose toxicity
Long-term, Systemic, Oral	0,74 mg/kg	120	Repeated dose toxicity
<u>Workers</u>			
Product	Value	Assessment factor	Notes
HyPrene L2000 - Ergon International (CAS	64742-52-5)		
Long-term, Local, Inhalation	5,58 mg/m3	45	Repeated dose toxicity
Long-term, Systemic, Dermal	0,97 mg/kg	72	Repeated dose toxicity
Long-term, Systemic, Inhalation	2,73 mg/m3	45	Repeated dose toxicity

Material name: HyPrene L2000 - Ergon International

SDS EU

4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

Predicted no effect concentrations (PNECs)

Product Value Assessment factor Notes

HyPrene L2000 - Ergon International (CAS 64742-52-5)

Secondary poisoning 9,33 mg/kg Oral

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection

Goggles/face shield are recommended. Eye protection should meet standard EN 166.

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable. Wear suitable gloves tested to EN374.

- **Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColourAmber.

Odour Mild Petroleum Odor

Melting point/freezing point -20 °C (-4 °F) ASTM D5950/ ISO 3016

Boiling point or initial boiling

point and boiling range

350 °C (662 °F) ASTM D2887/ ISO 3294

330 3 (002 1) / 1011 1 2 2 3 2 7 1 3 3 3 2 3 1

> 315.56 °C (> 600 °F) ASTM E659

Flammability Will burn if involved in a fire.

Flash point 264,0 °C (507,2 °F) Cleveland open cup ASTM D92/ ISO 2592

240,0 °C (464,0 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

Auto-ignition temperature

Decomposition temperature The property has not been measured.

pH The property has not been measured.

Kinematic viscosity >= 38,1 mm²/s

Solubility

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water) (log value)

The property has not been measured.

Density and/or relative density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Vapour density > 5

Particle characteristics

Vapour pressure

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard

No relevant additional information available.

classes

9.2.2. Other safety characteristics

Viscosity 384 cSt (40 °C (104 °F) ASTM D445)

Material name: HyPrene L2000 - Ergon International 4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018 **SECTION 10: Stability and reactivity**

10.1. Reactivity Strong oxidising agents.

Stable. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. **General information**

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eve contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eve damage/eve

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Note L -

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. **Aspiration hazard** Mixture versus substance

information

Not available.

11.2. Information on other hazards

Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available.

Material name: HyPrene L2000 - Ergon International

SDS EU 4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

12.4. Mobility in soil Not available.

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Oil spills are generally hazardous to the environment. 12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

around.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

Not applicable. Waste codes should be assigned by the user based on the application for which the **EU** waste code

product was used.

Disposal No components are identified as hazardous wastes. Disposal recommendations are based on methods/information

material as supplied. Disposal must be in accordance with current applicable laws and regulations,

and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk according to IMO

instruments

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Material name: HyPrene L2000 - Ergon International

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

Inventory name

15.2. Chemical safety

assessment

Taiwan

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

United States & Puerto Rico

List of abbreviations Not available.

References Chemical Abstracts Service Registry Handbook

CRC: Handbook of Chemistry and Physics International Labour Organization

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

Material name: HyPrene L2000 - Ergon International
4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018

Yes

Yes

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

4726 Version #: 05 Revision date: 17-November-2022 Issue date: 13-August-2018