# SAFETY DATA SHEET



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** HyGold o750

designation of the mixture

**Registration number** 01-2119467170-45

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

**Uses advised against** None known.

1.3. Details of the supplier of the safety data sheet

**MANUFACTURER:** Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

**EU Contact:** Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

**Emergency Phone** 

**Numbers:** 

**US Customer Service:** + 1-800-222-7122

**CHEMTREC:** + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

**E-mail:** sds@ergon.com

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

**Hazard statements** The substance does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

**2.3. Other hazards** This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Material name: HyGold o750 - Ergon International

General information
Chemical name
%
CAS-No. / EC No.
No.

Distillates (petroleum), hydrotreated heavy naphthenic

Classification: 
CAS-No. / EC REACH Registration No. Index No.
No.

01-2119467170-45 649-465-00-7
265-155-0

**Composition comments** 

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

**SECTION 4: First aid measures** 

**General information** Contact physician if discomfort continues.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

**Skin contact** Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguish or so this will person the fire.

extinguisher, as this will spread the fire.

**Unsuitable extinguishing** 

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

SDS EU

2 / 10

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Material name: HyGold o750 - Ergon International

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.

Observe industrial sector guidance on best practices.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Occupational exposure limits**

Belgium. Exposure Limit Values Material	Туре	Value	Form
HyGold o750	STEL	10 mg/m3	Mist.
Tyddid 0730	TWA	5 mg/m3	Mist.
Components	Type	Value	Form
Distillates (petroleum),	STEL	10 mg/m3	Mist.
hydrotreated heavy naphthenic (CAS 64742-52-5)			
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 Material	3 on protection of workers agains Type	t risks of exposure to Value	chemical agents at work
HyGold o750	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyGold o750	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Lin	nits		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Greece. OELs (Decree No. 90/19			_
Material	Туре	Value	Form
HyGold o750	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on ( Material	Chemical Safety of Workplaces Type	Value	Form

Material name: HyGold o750 - Ergon International

HyGold o750

SDS EU 6215 Version #: 02 Revision date: 07-December-2022 Issue date: 13-June-2019

5 mg/m3

Mist.

Ceiling

	Туре		
oistillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5)	TWA	5 mg/m3	
celand. OELs. Regulation 154/199 Naterial	99 on occupational exposure limits Type	Value	Form
HyGold o750	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5)	TWA	1 mg/m3	Mist.
taly. Occupational Exposure Limit Components	ts Type	Value	Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5)	TWA	5 mg/m3	Inhalable fraction.
.atvia. OELs. Occupational exposu Components	re limit values of chemical substance Type	es in work enviro Value	onment
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
ithuania. OELs. Limit Values for ( Material	Chemical Substances, General Requirements Type	rements Value	Form
HyGold o750	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS h4742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
letherlands. OELs (binding) Iaterial	Туре	Value	Form
HyGold o750	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 34742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Workplace Type	Value	Form
HyGold o750	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5)	TLV	1 mg/m3	Mist.
	of Labour and Social Policy on 6 June narmful health factors in the work en Type		
HyGold o750	STEL	10 mg/m3	Aerosol
.,	-·	9,5	

Material name: HyGold o750 - Ergon International

SDS EU

6215 Version #: 02 Revision date: 07-December-2022 Issue date: 13-June-2019

TWA

5 mg/m3

Aerosol

	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
Portugal. VLEs. Norm on occu <sub>l</sub> Material	pational exposure to chemical Type	agents (NP 1796) Value	Form
HyGold o750	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of Material	workers from exposure to che Type	mical agents at the workpla Value	ace
HyGold o750	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulation No Components	o. 300/2007 concerning protec Type	tion of health in work with Value	chemical agents Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
naphthenic (CAS			
naphthenic (CAS		15 ppm	Fume and mist.
naphthenic (CAS	TWA	1 mg/m3	Fume and mist.
naphthenic (CAS 64742-52-5)		• •	
naphthenic (CAS 64742-52-5) Spain. Occupational Exposure		1 mg/m3	Fume and mist.
naphthenic (CAS 54742-52-5) Spain. Occupational Exposure Material	Limits	1 mg/m3 5 ppm  Value  10 mg/m3	Fume and mist. Fume and mist.
naphthenic (CAS 54742-52-5) Spain. Occupational Exposure Material HyGold o750	E Limits Type  STEL TWA	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3	Fume and mist. Fume and mist.  Form  Mist. Mist.
naphthenic (CAS 64742-52-5) Spain. Occupational Exposure Material HyGold o750	STEL TWA Type	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value	Fume and mist. Fume and mist.  Form  Mist. Mist. Form
naphthenic (CAS	E Limits Type  STEL TWA	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3	Fume and mist. Fume and mist.  Form  Mist. Mist.
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA Type	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value	Fume and mist. Fume and mist.  Form  Mist. Mist. Form
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Type  STEL  TWA  Type  STEL	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value  10 mg/m3	Fume and mist. Fume and mist.  Form  Mist. Mist. Form  Mist.  Mist.
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Sweden. OELs. Work Environn	STEL TWA Type  STEL TWA Type  STEL  TWA TWA TWA	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  onal Exposure Limit Values	Fume and mist. Fume and mist.  Form  Mist. Mist. Form  Mist.  Mist.  (AFS 2015:7)
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Sweden. OELs. Work Environn Material	STEL TWA Type  STEL  TWA Type  STEL  TWA  TWA  TWA  TWA  THE TWA  TYPE  TOWA  TYPE	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  Value  10 mg/m3	Fume and mist. Fume and mist.  Form  Mist. Mist. Form  Mist.  Mist.  (AFS 2015:7) Form
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Sweden. OELs. Work Environn Material	STEL TWA Type STEL TWA Type STEL  TWA  TWA  TWA  THE TWA  THE TWA  TYPE  STEL  STEL	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  5 mg/m3  ponal Exposure Limit Values (Value) 3 mg/m3	Fume and mist. Fume and mist.  Form  Mist.  Mist.  Form  Mist.  (AFS 2015:7)  Form  Mist.
Spain. Occupational Exposure Material HyGold o750  Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Sweden. OELs. Work Environn Material  HyGold o750	STEL TWA Type  STEL  TWA Type  STEL  TWA nent Authority (AV), Occupation Type  STEL  TWA	1 mg/m3 5 ppm  Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  Value  10 mg/m3  5 mg/m3  5 mg/m3  1 mg/m3 1 mg/m3	Fume and mist. Fume and mist.  Form  Mist. Mist. Form  Mist.  (AFS 2015:7) Form  Mist.  Mist.  Mist.  Mist.  Mist.  Mist.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components Form **Type** Value

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

TWA

**Derived no effect levels** 

(DNELs)

Predicted no effect concentrations (PNECs) Not available.

Not available.

8.2. Exposure controls

**Appropriate engineering** 

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

5 ma/m3

Inhalable fraction.

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

**Eve/face protection** 

- Hand protection

Skin protection

Goggles/face shield are recommended. Eye protection should meet standard EN 166.

Wear suitable gloves tested to EN374. Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash

protection Neoprene, PVC gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Under normal conditions, respirator is not normally required. When workers are facing Respiratory protection

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

meeting EN14387.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid. Form Liquid. Colour Light Amber

Odour Mild Petroleum Odor

Melting point/freezing point -29 °C (-20,2 °F) ASTM D5949

Boiling point or initial boiling point and boiling range

> 260 °C (> 500 °F) ASTM D2887/ ISO 3294

**Flammability** Will burn if involved in a fire.

232.0 °C (449.6 °F) Cleveland open cup ASTM D92/ ISO 2592 Flash point

218,0 °C (424,4 °F) Pensky-Martens Closed Cup

**Auto-ignition temperature** > 315.56 °C (> 600 °F) ASTM E659

**Decomposition temperature** Property has not been measured. Property has not been measured. рH

Kinematic viscosity  $>= 38,1 \text{ mm}^2/\text{s}$ 

Material name: HyGold o750 - Ergon International 6215 Version #: 02 Revision date: 07-December-2022 Issue date: 13-June-2019 Solubility

Insoluble Solubility (water) **Partition coefficient** Not established.

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density

Relative density 0,911 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Vapour density

**Particle characteristics** 

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard

10.4. Conditions to avoid

No relevant additional information available.

classes

9.2.2. Other safety characteristics

143 cSt (40 °C (104 °F) ASTM D445/ ISO 3104) **Viscosity** 

**SECTION 10: Stability and reactivity** 

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

**SECTION 11: Toxicological information** 

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** May be harmful if swallowed and enters airways. However, this product does not currently meet

the criteria for classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

**Symptoms** Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Not classified. **Acute toxicity** 

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

**Respiratory sensitisation** Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meets Carcinogenicity

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. **Aspiration hazard** 

Material name: HyGold o750 - Ergon International

Mixture versus substance

information

Not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

properties

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and

12.6. Endocrine disrupting

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

This substance does not have endocrine disrupting properties with respect to the environment, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

Disposal recommendations are based on material as supplied. Disposal must be in accordance with

emptied. Offer rinsed packaging material to local recycling facilities.

**EU** waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal methods/information

current applicable laws and regulations, and material characteristics at time of disposal.

### **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

### **RID**

14.1. - 14.6.: Not regulated as dangerous goods.

#### **ADN**

14.1. - 14.6.: Not regulated as dangerous goods.

# **IATA**

14.1. - 14.6.: Not regulated as dangerous goods.

### **IMDG**

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk according to IMO

instruments

Not available.

**General information** Not regulated as dangerous goods.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Material name: HyGold o750 - Ergon International 6215 Version #: 02 Revision date: 07-December-2022 Issue date: 13-June-2019 Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

# Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

**National regulations** Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### **SECTION 16: Other information**

**List of abbreviations** Not available.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References

**ACGIH** 

IARC Monographs, Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

**Revision information Training information Disclaimer** 

This document has undergone significant changes and should be reviewed in its entirety. Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge. information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold o750 - Ergon International

SDS EU 6215 Version #: 02 Revision date: 07-December-2022 Issue date: 13-June-2019