

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyPrene L101
Identification number	649-465-00-7 (Index number)
Registration number	01-2119467170-45-0017
Synonyms	None.
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
CHEMTREC:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International),
	+32-28083237 (Belgium)
	+33-975181407 (France)
	+49-69643508409 (Germany)
	+39-0245557031 (Italy)
	+34-931768545 (Spain)
E-mail:	sds@ergon.com
SECTION 2: Hazards iden	tification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Label according to Regulatio	
Hazard pictograms	None.
Signal word	None.
Hazard statements	The substance does not meet the criteria for classification.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties. This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	-				L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Not available.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Keep away from heat, sparks and open flame.

storage, including any incompatibilities

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

7.2. Conditions for safe

Occupational exposure limits

Belgium. Exposure Limit Values	-	Walaa	Form
Material	Туре	Value	Form
HyPrene L101	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 on p Material	protection of workers ag Type	ainst risks of exposure to Value	chemical agents at work
HyPrene L101	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Czech Republic. OELs. Government De	ecree 361		
Material	Туре	Value	
HyPrene L101	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyPrene L101	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limits			
Material	Туре	Value	Form
HyPrene L101	TWA	5 mg/m3	Mist.

Finland. Workplace Exposure Limits Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory OELs). Commission for the	Investigation of Health H	azards of Chemical
Compounds in the Work Area (DFG) Material	Туре	Value	Form
HyPrene L101	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/1999, as a Material	amended) Type	Value	Form
HyPrene L101	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chemic Material	al Safety of Workplac Type	es Value	
HyPrene L101	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
celand. OELs. Regulation 154/1999 on Material	occupational exposu Type	re limits Value	Form
HyPrene L101	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
reland. Occupational Exposure Limits Material	Туре	Value	Form
HyPrene L101	TWA	5 mg/m3	Inhalable fraction.
taly. Occupational Exposure Limits			
laterial	Туре	Value	Form
lyPrene L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure lin Material	nit values of chemical Type	substances in work envir Value	onment
lyPrene L101	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Chem Material	Type	ral Requirements Value	Form

TWA 1 mg/m3 Fume and mist. Components Type Value Form Diciliatios (petroleum), hydrotreated heavy, naphthenic (CAS 6474:25.25) STEL 3 mg/m3 Fume and mist. Netherlands. OELs (binding) TWA 1 mg/m3 Fume and mist. Netherlands. OELs (binding) Type Value Form HyPrene LI01 TWA 5 mg/m3 Mist. Components Type Value Form Diciliatis (petroleum), hydrotreated heavy naphthenic (CAS 6474:25.25) NWA 5 mg/m3 Mist. Norway. Administrative Norms for Contaminants in the Workplace Form Mist. Optionents Type Value Form Distillatis (petroleum), hyPrene LI01 TLV 1 mg/m3 Mist. Components Type Value Form Distillatis (petroleum), hyPrene LI01 TLV 1 mg/m3 Mist. Components Type Value Form Distillatis (petroleum), hyPrene LI01 TLV 1 mg/m3 Inhalable fraction. Oppm Inhalable fraction. 0 ppm Inhalable fraction. Oppm Inhalable fraction. 0 ppm Inhalable fraction. Material Type Value Form	Material	Туре	eral Requirements Value	Form
Distillates (petroleum), wdrotreated heavy spathene (CAS 94742-52-5) TWA 1 mg/m3 Fune and mist. Netherlands. OELs (binding) Material Type Value Form Pypere L01 TWA 5 mg/m3 Mist. Components Type Value Form Distillates (petroleum), mydrotreated heavy naphthenic (CAS 94742-52-5) Norway. Administrative Norms for Contaminants in the Workplace Type Value Form Material Type Value Form Mist. Components Type Value Form Mist. Components Type Value Form Mist. Components Type Value Form Mist. PyPere L01 TLV 1 mg/m3 Mist. Components Type Value Form Distillates (petroleum), mydrotreated heavy naphthenic (CAS 94742-52-5) Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, Item Material Type Value Form mydrotreated heavy maphthenic (CAS 94742-52-5) Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, Item Material Type Value Form Inhalable fraction. Components Type Value Form Distillates (petroleum), mydrotreated heavy naphthenic (CAS 94742-52-5) 0 ppm Inhalable fraction. Components Type Value Form Inhalable fraction. Components Type Value Form Material Type Value Form Material Type Value Form Distillates (petroleum), mydrotreated heavy maphthenic (CAS 94742-52-5) 0 ppm Inhalable fraction. Components Type Value Form Distillates (petroleum), mydrotreated heavy maphthenic (CAS 94742-52-5) 0 ppm Inhalable fraction. Components Type Value Form Distillates (petroleum), mydrotreated heavy maphthenic (CAS 94742-52-5) 0 ppm Inhalable fraction. Components Type Value Form Material Type Value Form Distillates (petroleum), mydrotreated heavy maphthenic (CAS 94742-52-5) 0 ppm Inhalable fraction. 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3		TWA	1 mg/m3	Fume and mist.
hydrotreated heavy maphtenic (CAS 54742-52-5) TWA 1 mg/m3 Fune and mist. Netherlands. OELs (binding) Material Type Value Form hydrotreated heavy maphtenic (CAS 5 hydrotreat	Components	Туре	Value	Form
Vetter lands. OELs (binding) Type Value Form tyPrene L101 TWA 5 mg/m3 Mist. Components Type Value Form Distillates (petroleum), wdrotrated heavy aphthenic (CAS TWA 5 mg/m3 Mist. Systematic (petroleum), wdrotrated heavy aphthenic (CAS Type Value Form tyPrene L101 TLV 1 mg/m3 Mist. Components Type Value Form tyPrene L101 TLV 1 mg/m3 Mist. Components Type Value Form typerene L101 TLV 1 mg/m3 Mist. Components Type Value Form typerene L101 TLV 1 mg/m3 Mist. operent institute of harmful health factors in the work environment, Journal of Laws 2014, item Material Type Value Form typerene L101 TWA 5 mg/m3 Inhalable fraction. 0 ppm Inhalable fraction. Components Type Value Form 0 mg/m3 I	nydrotreated heavy	STEL	3 mg/m3	Fume and mist.
MaterialTypeValueFormtyPrene L101TWA5 mg/m3Mist.ComponentsTypeValueFormSibilites (petroleum), tydrotreated heavy spathenic (CASTWA5 mg/m3Mist.Variational CaseTypeValueFormWaterialTypeValueFormWorway. Administrative Norms for Contaminants in the Workplace MaterialTypeValueFormWorway. Administrative Norms for Contaminants in the Workplace MaterialTypeValueFormtyPrene L101TLV1 mg/m3Mist.Statistics (petroleum), mg/m3Mist.tyPrene L101TLV1 mg/m3Mist.Statistics (petroleum), mg/m3Mist.viporterated heavy spathenic (CASTypeValueFormviporterated heavy spathenic (CASTypeValueFormviporterated heavy spathenic (CASTypeValueFormviporterated heavy spathenic (CASTypeValueFormviporene L101TWA5 mg/m3Inhalable fraction. 0 ppmInhalable fraction. No ppmSistillates (petroleum), viporteated heavy spathenic (CASTypeValueFormVistillates (petroleum), viporteated heavy spathenic (CASTypeValueFormSistillates (petroleum), viporteated heavy spathenic (CASTypeValueFormSistillates (petroleum), viporteated heavy spathenic (CASTypeValueFormSistillates (petroleum), v		TWA	1 mg/m3	Fume and mist.
Norman TWA 5 mg/m3 Mist. Components Type Value Form Distillates (petroleum), viprotreated heavy apathene: (CAS 4742-52-5) TWA 5 mg/m3 Mist. Sorway. Administrative Norms for Contaminants in the Workplace Material Youe Form Administrative Norms for Contaminants in the Workplace Material Type Value Form Values Form Value Form Stillates (petroleum), viprotreated heavy apathene: (CAS 4742-52-5) Type Value Form Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item Material Type Value Form Apprene L101 TWA 5 mg/m3 Inhalable fraction. Oppom Inhelable fraction. 0 ppm Inhalable fraction. Apprene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Vertugal (CAS 4742-52-5) 0 ppm Inhalable fraction. Stillates (petroleum), worthoread heavy apathene: (CAS 4742-52-5) 0 ppm Inhalable fraction. Components Type Value Form Vertugal (CAS 4742-52-5) 0 ppm Inhalable fraction. Stillates (petroleum				_
Type Value Form Distiliates (petroleum), hydrotreated heavy aphthenic (CAS 4742-52-5) TWA 5 mg/m3 Mist. Norway. Administrative Norms for Contaminants in the Workplace Material Type Value Form Apprene L101 TLV 1 mg/m3 Mist. Components Type Value Form Apprene L101 TLV 1 mg/m3 Mist. Distillates (petroleum), wortoreated heavy appthenic (CAS Type Value Form Distillates (petroleum), wortoreated heavy appthenic (CAS Type Value Form Advectorial Type Value Form Some Advectorial Type Value Form <	Material	Туре	Value	Form
Network of the set of	HyPrene L101		•	
wydrotreated heavy aphthenic (CAS Yar2e-52-5) Yorway, Administrative Norms for Contaminants in the Workplace Yar2e-52-5) Yorway, Administrative Norms for Contaminants in the Workplace Yar2e-52-5) Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item Yaterial Type Value Form Normania Advantage Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item Yaterial Type Value Form Naterial Type Value Form MyPrene L101 TWA 5 mg/m3 Inhalable fraction. Oppm Inhalable fra	Components	Туре	Value	Form
MaterialTypeValueFormtyPrene L101TLV1 mg/m3Mist.ComponentsTypeValueFormDistillates (petroleum), vydrotreated heavy naphthenic (CAS 54742-52-5)TLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item MaterialFormMaterialTypeValueFormHyPrene L101TWA5 mg/m3Inhalable fraction. 0 ppmComponentsTypeValueFormDistillates (petroleum), vydrotreated heavy naphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormDistillates (petroleum), vydrotreated heavy naphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) ValueFormFormPortugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) vydrotreated heavy naphthenic (CAS 54742-52-5)Inhalable fraction.ComponentsTypeValueFormUstillates (petroleum), vydrotreated heavy naphthenic (CASS mg/m3Inhalable fraction.ComponentsTypeValueFormUstillates (petroleum), vydrotreated heavy naphthenic (CASS mg/m3Inhalable fraction.TypeValueFormSDistillates (petroleum), vydrotreated heavy <td>nydrotreated heavy naphthenic (CAS</td> <td>TWA</td> <td>5 mg/m3</td> <td>Mist.</td>	nydrotreated heavy naphthenic (CAS	TWA	5 mg/m3	Mist.
Components Type Value Form Distillates (petroleum), ydrotreated heavy aphthenic (CAS 54742-52-5) TLV 1 mg/m3 Mist. Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harm/ul health factors in the work environment, Journal of Laws 2014, item Material Type Value Form Material Type Value Form tyPrene L101 TWA 5 mg/m3 Inhalable fraction. Oppm Inhalable fraction. 0 ppm Inhalable fraction. Vipdrotreated heavy haphthenic (CAS 54742-52-5) TWA 5 mg/m3 Inhalable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Form Material Type Value Form tyPrene L101 TWA 5 mg/m3 Inhalable fraction. Oppmonents Type Value Form Distillates (petroleum), mydrotreated heavy haphthenic (CAS 54742-52-5) TWA 5 mg/m3 Inhalable fraction. Statillates (petroleum), mydrotreated heavy haphthenic (CAS Type Value Form Distillates (pe	-		-	Form
Type Value Form Distillates (petroleum), ydrotreated heavy aphthenic (CAS startaria TLV 1 mg/m3 Mist. Doland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harm/u health factors in the work environment, Journal of Laws 2014, item waterial Type Value Form typene L101 TWA 5 mg/m3 Inhalable fraction. 0 ppm Inhalable fraction. 0 ppm Form Distillates (petroleum), wdrotreated heavy haphthenic (CAS styr2-2-5) TWA 5 mg/m3 Inhalable fraction. Oppm Inhalable fraction. 0 ppm Inhalable fraction. Optrugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form Optrugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form Optrugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form Optrugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form Distillates (petroleum), wdrotreated heavy haphthenic (CAS 47742-52-5) TwA 5 mg/m3 Inhalable fraction.	HyPrene L101		1 mg/m3	Mist.
hydrotreated heavy haphthenic (CAS str42-52-5) Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item Material Type Value Form - Type Value Form Inhalable fraction. 0 ppm Inhalable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form 4/Prene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form 1/Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value - Value -			-	
concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item Material Form Material Type Value Form HyPrene L101 TWA 5 mg/m3 Inhalable fraction. 0 ppm Inhalable fraction. 0 ppm Inhalable fraction. Components Type Value Form Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) TWA 5 mg/m3 Inhalable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Form Inhalable fraction. Pyprene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form HyPrene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) TwA 5 mg/m3 Inhalable fraction. Remania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value Form HyPrene L101 STEL 10 mg/m3 Twa	hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.
ComponentsTypeValueFormDistillates (petroleum), hydrotreated heavy naphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) MaterialTypeFormPortugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) MaterialFormHyPrene L101TWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormDistillates (petroleum), hydrotreated heavy naphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Romania. OELs. Protection of workers from exposure to chemical agents at the workplace MaterialTypeValueHyPrene L101STEL10 mg/m3TWAComponentsTypeValueStellDistillates (petroleum), hydrotreated heavy naphthenic (CASSTEL10 mg/m3TWAS TEL10 mg/m3StellDistillates (petroleum), hydrotreated heavy naphthenic (CASSTEL10 mg/m3				
Distillates (petroleum), ydrotreated heavy haphthenic (CAS 54742-52-5) TWA 5 mg/m3 Inhalable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Value Form Material Type Value Form HyPrene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Distillates (petroleum), ydrotreated heavy haphthenic (CAS 54742-52-5) TWA 5 mg/m3 Inhalable fraction. Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Waterial Type Value Form HyPrene L101 TWA 5 mg/m3 Inhalable fraction. Strell 10 mg/m3 Distillates (petroleum), ydrotreated heavy haphthenic (CAS 54742-52-5) Type Value Yalue HyPrene L101 STEL 10 mg/m3 TWA 5 mg/m3 Inhalable fraction. HyPrene L101 STEL 10 mg/m3 TWA 5 mg/m3 Inhalable fraction. HyPrene L101 STEL 10 mg/m3 TWA 5 mg/m3 Inhalable fraction. HyPrene L101 STEL 10 mg/m3 TWA 5 mg/m3 Inhalable fraction. </td <td></td> <td></td> <td>Value</td> <td>Form</td>			Value	Form
hydrotreated heavy haphthenic (CAS 54742-52-5) 0 ppm Inhalable fraction. Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Form HyPrene L101 TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene L101 STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value			Value 5 mg/m3	Form Inhalable fraction.
Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) TypeFormAyPrene L101TWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormDistillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Romania. OELs. Protection of workers from exposure to chemical agents at the workplace TypeValueFormAyPrene L101STEL10 mg/m3TWA5 mg/m3TwaStillates (petroleum), hydrotreated heavy haphthenic (CASSTEL10 mg/m3TypeValueStelStillates (petroleum), hydrotreated heavy haphthenic (CASSTEL10 mg/m3	HyPrene L101	TWA	Value 5 mg/m3 0 ppm	Form Inhalable fraction. Inhalable fraction.
MaterialTypeValueFormHyPrene L101TWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormDistillates (petroleum), nydrotreated heavy haphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Romania. OELs. Protection of workers rrom exposure to chemical agents at the workplace TypeValueFormHyPrene L101STEL10 mg/m3-HyPrene L101STEL10 mg/m3-Distillates (petroleum), nydrotreated heavy haphthenic (CASSTEL10 mg/m3ComponentsTypeValue-Distillates (petroleum), nydrotreated heavy haphthenic (CASSTEL10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type	Value 5 mg/m3 0 ppm Value	Form Inhalable fraction. Inhalable fraction. Form
ComponentsTypeValueFormDistillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Romania. OELs. Protection of workers from exposure to chemical agents waterialat the workplace ValueValueHyPrene L101STEL10 mg/m3TWA5 mg/m3ComponentsComponentsTypeValueDistillates (petroleum), hydrotreated heavy haphthenic (CASSTEL10 mg/m3Distillates (petroleum), hydrotreated heavy haphthenic (CASSTEL10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type	Value 5 mg/m3 0 ppm Value 5 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), nydrotreated heavy haphthenic (CAS 54742-52-5)TWA5 mg/m3Inhalable fraction.Romania. OELs. Protection of workers from exposure to chemical agents at the workplace TypeValue4yPrene L101STEL10 mg/m3TWA5 mg/m3TWAComponentsTypeValueDistillates (petroleum), nydrotreated heavy haphthenic (CASSTEL10 mg/m3Distillates (petroleum), nydrotreated heavy haphthenic (CASSTEL10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatio	TWA Type TWA onal exposure to chemical	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796)	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction.
hydrotreated heavy haphthenic (CAS haphthenic (CAS haphthenic (CAS haterial Type HyPrene L101 STEL TWA 5 mg/m3 Components Type Distillates (petroleum), hydrotreated heavy STEL hydrotreated heavy STEL hydrotreated heavy haphthenic (CAS	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatic Material	TWA Type TWA onal exposure to chemical Type	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form
MaterialTypeValueHyPrene L101STEL10 mg/m3TWA5 mg/m3ComponentsTypeValueDistillates (petroleum), mydrotreated heavy haphthenic (CASSTEL10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatic Material	TWA Type TWA pnal exposure to chemical Type TWA	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
TWA 5 mg/m3 Components Type Value Distillates (petroleum), nydrotreated heavy naphthenic (CAS STEL 10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatic Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type TWA TWA Type TWA Type	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable fraction. Form
Components Type Value Distillates (petroleum), nydrotreated heavy naphthenic (CAS STEL 10 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupation Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of worl	TWA Type TWA TWA TWA TWA Type TWA Type TWA TWA Type TWA TWA TWA	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 walue 5 mg/m3 walue 5 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), STEL 10 mg/m3 hydrotreated heavy haphthenic (CAS	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatic Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of work Material	TWA Type TWA TWA TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 water 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
nydrotreated heavy	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupation Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of work Material	TWA Type TWA TWA TWA Type TWA Type TWA Type TWA STEL STEL	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 waite 5 mg/m3 Value 10 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupation Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of work Material HyPrene L101	TWA Type TWA TWA TWA TWA Type TWA TWA Type TWA STEL TWA TWA	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 wate 1796) Value 5 mg/m3 wate 10 mg/m3 5 mg/m3	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.
TWA 5 mg/m3	HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Portugal. VLEs. Norm on occupatic Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of worl Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of worl Material HyPrene L101 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type TWA TWA TWA TWA TWA Type TWA TWA Type TWA STEL TWA Type STEL TWA Type TWA Type	Value 5 mg/m3 0 ppm Value 5 mg/m3 0 ppm agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 waited agents 10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction.

Material	n No. 300/2007 concerning protec Type	Value	Form	
HyPrene L101	STEL	3 mg/m3	Fume and mist.	
		15 ppm	Fume and mist.	
	TWA	1 mg/m3	Fume and mist.	
		5 ppm	Fume and mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.	
		15 ppm	Fume and mist.	
	TWA	1 mg/m3	Fume and mist.	
		5 ppm	Fume and mist.	
Spain. Occupational Expo			_	
Material	Туре	Value	Form	
HyPrene L101	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form	
HyPrene L101	STEL	3 mg/m3	Mist.	
	TWA	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.	
	TWA	1 mg/m3	Mist.	
Switzerland. SUVA Grenzy	werte am Arbeitsplatz			
Material	Туре	Value	Form	
HyPrene L101	TWA	5 mg/m3	Inhalable fraction.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.	
ogical limit values	No biological exposure limits noted for	or the ingredient(s).		
ommended monitoring cedures	Follow standard monitoring procedur	es.		
ived no effect levels ELs)	Not available.	Not available.		
dicted no effect centrations (PNECs)	Not available.			
Exposure controls	Adoquato vestilation should be such	dad whanavar the meterial is b	astad or misto are concerts	
ropriate engineering trols	Adequate ventilation should be provided whenever the material is heated or mists are generat Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.			
vidual protection measure	es, such as personal protective equ	ipment		
General information	Wear suitable protective equipment. the CEN standards and in discussion			

Skin protection	
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. Wear suitable gloves tested to EN374.
- Other	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is not normally required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

5.1. Information on basic phys	scal and chemical properties
Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Mild Petroleum Odor
Melting point/freezing point	-44 °C (-47,2 °F) ASTM D5949/ ISO 3016
Boiling point or initial boiling point and boiling range	> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294
Flammability	Will burn if involved in a fire.
Flash point	167,0 °C (332,6 °F) Cleveland open cup ASTM D92/ ISO 2592 155,0 °C (311,0 °F) Pensky-Martens Closed Cup
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659
Decomposition temperature	Property has not been measured.
рН	Property has not been measured.
Kinematic viscosity	>= 38,1 mm²/s
Solubility	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water) (log value)	Not established.
Vapour pressure	Property has not been measured.
Density and/or relative densit	у
Relative density	0,898 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)
Vapour density	5
Particle characteristics	
Particle size	Property has not been measured.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteris	tics
Viscosity	21,9 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)
SECTION 10: Stability an	d reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.

10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	May be harmful if inhaled. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms	Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.
11.1. Information on toxicolo	gical effects
Acute toxicity	No data available.
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	May be irritating to eyes.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.
Hungary. 26/2000 EüM O at work (as amended)	rdinance on protection against and preventing risk relating to exposure to carcinogens
Not listed.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction

Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not classified.
Mixture versus substance information	Not available.

11.2. Information on other hazards

Endocrine disrupting properties	This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity 12.2. Persistence and	Not expected to be harmful to aquatic organisms. Not inherently biodegradable.
degradability	Discoursulation is unlikely to be significant because of the low water colubility of this and est
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.
12.7. Other adverse effects	Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
SECTION 14: Transport information	

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

bulk according to IMO

instruments

General information Not regulated as dangerous goods.

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed. Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as
	amended.

Germany: WGK 1

No Chemical Safety Assessment has been carried out.

15.2. Chemical safety
assessment
International Inventories

iternational inventories		
Country(s) or region	Inventory name On inventory (y	es/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A !!Vaall indicates that all some	north of this modulet comply with the investory requirements administered by the covering covering	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations	Not available.
References	ACGIH US. IARC Monographs on Occupational Exposures to Chemical Agents Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not applicable.
Full text of any statements, which are not written out in full under sections 2 to 15	None.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is r to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

and is not