SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or HvGold Denali L500

designation of the mixture

Registration number 01-2119467170-45

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. **Storage Disposal** Not applicable.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

> The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: HyGold Denali L500 - Ergon International 6897 Version #: 02 Revision date: 15-December-2022 Issue date: 28-September-2021 1 / 10 **General information** Chemical name ٥/٥ CAS-No. / EC REACH Registration No. Index No. Notes No. Distillates (petroleum), hydrotreated <=100 64742-52-5 01-2119467170-45 649-465-00-7 heavy naphthenic 265-155-0 Classification: ı

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eve contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Material name: HyGold Denali L500 - Ergon International

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work.

Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| Belgium. Exposure Limit Values | | | | |
|--|------|----------|-------|--|
| Material | Туре | Value | Form | |
| HyGold Denali L500 | STEL | 10 mg/m3 | Mist. | |
| | TWA | 5 mg/m3 | Mist. | |
| Components | Туре | Value | Form | |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. | |
| | TWA | 5 mg/m3 | Mist. | |

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work **Material Type** Value HvGold Denali L500 TWA 5 ma/m3

| Components | Туре | Value |
|----------------------------------|------|---------|
| Distillates (petroleum), | TWA | 5 mg/m3 |
| last also also alba alba acción. | | |

hydrotreated heavy naphthenic (CAS 64742-52-5)

Denmark. Exposure Limit Values

| Material | Туре | Value | Form |
|--|------|---------|-------|
| HyGold Denali L500 | TLV | 1 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TLV | 1 mg/m3 | Mist. |

Finland, Workplace Exposure Limits

| Components | Туре | Value | Form | |
|--|------|---------|-------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. | |

Greece, OELs (Decree No. 90/1999, as amended)

| dieece. Olls (Decree No. 30/1333, as amended) | | | | |
|--|------|---------|-------|--|
| Material | Туре | Value | Form | |
| HyGold Denali L500 | TWA | 5 mg/m3 | Mist. | |
| Components | Туре | Value | Form | |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. | |

ngary OELs Joint Docree on Chemical Safety of Workplaces

| Material | Туре | Value | Form | |
|--------------------|---------|---------|-------|--|
| HyGold Denali L500 | Ceiling | 5 mg/m3 | Mist. | |

Material name: HyGold Denali L500 - Ergon International

3 / 10

6897 Version #: 02 Revision date: 15-December-2022 Issue date: 28-September-2021

| | Туре | Value | |
|---|---|---|--|
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) | TWA | 5 mg/m3 | |
| Iceland. OELs. Regulation 154/199 Material | 99 on occupational exposure limits Type | Value | Form |
| HyGold Denali L500 | TWA | 1 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 1 mg/m3 | Mist. |
| Ireland. Occupational Exposure Lii Material | mits Type | Value | Form |
| HyGold Denali L500 | TWA | 5 mg/m3 | Inhalable fraction. |
| Italy. Occupational Exposure Limit | | | |
| Material | Туре | Value | Form |
| HyGold Denali L500 | TWA | 5 mg/m3 | Inhalable fraction. |
| Components | Туре | Value | Form |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| Latvia. OELs. Occupational exposu Components | re limit values of chemical substance Type | es in work envir Value | onment |
| Distillates (petroleum), | TWA | 5 mg/m3 | |
| naphthenic (CAS 64742-52-5) | | | |
| naphthenic (CAS 54742-52-5) L ithuania. OELs. Limit Values for (| Chemical Substances, General Requir Type | rements Value | Form |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material | , | | Form Fume and mist. |
| aphthenic (CAS 4742-52-5) .ithuania. OELs. Limit Values for (faterial | Туре | Value | |
| naphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 | Type STEL | Value 3 mg/m3 | Fume and mist. |
| nydrotreated heavy haphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) | Type STEL TWA | Value 3 mg/m3 1 mg/m3 | Fume and mist. Fume and mist. |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS | Type STEL TWA Type | Value 3 mg/m3 1 mg/m3 Value | Fume and mist. Fume and mist. Form |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS | Type STEL TWA Type STEL | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 | Fume and mist. Fume and mist. Form Fume and mist. |
| naphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 54742-52-5) Netherlands. OELs (binding) Material | Type STEL TWA Type STEL TWA | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 | Fume and mist. Form Fume and mist. Fume and mist. |
| naphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), mydrotreated heavy maphthenic (CAS 54742-52-5) Netherlands. OELs (binding) Material HyGold Denali L500 | Type STEL TWA Type STEL TWA TWA Type | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value | Fume and mist. Form Fume and mist. Fume and mist. Fume and mist. Form |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Netherlands. OELs (binding) | Type STEL TWA Type STEL TWA TWA Type TWA | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 | Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist. |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Netherlands. OELs (binding) Material HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS | Type STEL TWA Type STEL TWA Type TWA Type TWA Type TWA Type TWA Type TWA | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value | Fume and mist. Form Fume and mist. Fume and mist. Fume and mist. Form Mist. Form |
| naphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for OMaterial HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) Netherlands. OELs (binding) Material HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) Norway. Administrative Norms for Material | Type STEL TWA Type STEL TWA Type TWA Type TWA Type TWA Type TWA Type TWA | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value | Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist. Form Mist. Form Mist. Form |
| naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Netherlands. OELs (binding) Material HyGold Denali L500 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Norway. Administrative Norms for | Type STEL TWA Type STEL TWA Type TWA Type TWA Type TWA Type TWA Type TWA | Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value | Fume and mist. Form Fume and mist. Fume and mist. Fume and mist. Form Mist. Form Mist. Form |

Material name: HyGold Denali L500 - Ergon International

SDS EU

6897 Version #: 02 Revision date: 15-December-2022 Issue date: 28-September-2021

| Material | Туре | Value | Form |
|--|---------------------------------------|--------------------------------------|----------------------|
| HyGold Denali L500 | TWA | 5 mg/m3 | Inhalable fraction. |
| Components | Туре | Value | Form |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| | | 0 ppm | Inhalable fraction. |
| Portugal. VLEs. Norm on occup Material | pational exposure to chemical Type | agents (NP 1796) Value | Form |
| lyGold Denali L500 | TWA | 5 mg/m3 | Inhalable fraction. |
| Components | Туре | Value | Form |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| Romania. OELs. Protection of v Material | workers from exposure to che Type | mical agents at the workpla Value | ace |
| HyGold Denali L500 | STEL | 10 mg/m3 | |
| | TWA | 5 mg/m3 | |
| Components | Туре | Value | |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) | STEL | 10 mg/m3 | |
| | TWA | 5 mg/m3 | |
| Slovakia. OELs. Regulation No | . 300/2007 concerning protec | tion of health in work with | chemical agents |
| Material | Туре | Value | Form |
| HyGold Denali L500 | STEL | 3 mg/m3 | Fume and mist. |
| | | 15 ppm | Fume and mist. |
| | TWA | 1 mg/m3 | Fume and mist. |
| | | 5 ppm | Fume and mist. |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) | STEL | 3 mg/m3 | Fume and mist. |
| | | 15 ppm | Fume and mist. |
| | TWA | 1 mg/m3 | Fume and mist. |
| | | 5 ppm | Fume and mist. |
| Spain. Occupational Exposure Material | Limits Type | Value | Form |
| HyGold Denali L500 | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| | | | / |
| Sweden. OELs. Work Environn Material | nent Authority (AV), Occupation Type | Value | (AFS 2015:7) Form |
| | | | |

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) Components Form **Type** Value Distillates (petroleum), **STEL** 3 ma/m3 Mist. hydrotreated heavy naphthenic (CAS 64742-52-5) TWA 1 mg/m3 Mist. Switzerland. SUVA Grenzwerte am Arbeitsplatz Form **Material Value** HvGold Denali L500 TWA Inhalable fraction. 5 ma/m3 Form **Components Value Type** Distillates (petroleum), TWA Inhalable fraction. 5 ma/m3 hydrotreated heavy naphthenic (CAS

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

64742-52-5)

(DNELs)

Not available.

Predicted no effect

Not available.

concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering

controls

Adequate ventilation should be provided whenever the material is heated or mists are generated. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection
Skin protection

Goggles/face shield are recommended. Eye protection should meet standard EN 166.

- Hand protection Wear suitable gloves tested to EN374. Chemical resistant gloves are recommended. If contact with

forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash

protection Neoprene, PVC gloves may be suitable.

- **Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection

Under normal conditions, respirator is not normally required. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)] meeting EN14387.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as was

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.

ColourLight Amber to GoldenOdourMild Petroleum Odor

Melting point/freezing point

-31 °C (-23,8 °F) ASTM D5950/ISO 3016

Boiling point or initial boiling

323 °C (613,4 °F) ASTM D2887/ ISO 3294

point and boiling range

Material name: HyGold Denali L500 - Ergon International

Flammability Will burn if involved in a fire.

> 200,0 °C (> 392,0 °F) Cleveland open cup ASTM D92/ ISO 2592 Flash point

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659 **Decomposition temperature** Property has not been measured. Property has not been measured. Property has not been measured. Kinematic viscosity

Solubility

Insoluble Solubility (water) **Partition coefficient** Not established.

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Vapour density > 5

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with No relevant additional information available.

regard to physical hazard

classes

9.2.2. Other safety characteristics

101 cSt (40 °C (104 °F) ASTM D445/ ISO 3104) **Viscosity**

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Note L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic Carcinogenicity

compound (PAC) using IP 346. This product is not considered to be a carcinogen by IARC, ACGIH,

NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Material name: HyGold Denali L500 - Ergon International Version #: 02 Revision date: 15-December-2022 Issue date: 28-September-2021 Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not classified. Not available.

Mixture versus substance

information

11.2. Information on other hazards

Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to human health, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and

12.6. Endocrine disrupting

12.7. Other adverse effects

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

properties

Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

around.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal methods/information Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΤΔΤΔ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk according to IMO

instruments

Not available.

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations Not available. References **ACGIH**

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information Training information

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold Denali L500 - Ergon International

6897 Version #: 02 Revision date: 15-December-2022 Issue date: 28-September-2021