ERGON E

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene V175BS

Identification number 649-470-00-4 (Index number)

Registration number 01-2119489287-22

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

Material name: HyPrene V175BS - Ergon International 4727 Version #: 04 Revision date: 15-December-2022 Issue date: 13-August-2018

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Residual oils (petroleum), hydrotreated	<=100	64742-57-0 265-160-8	01-2119489287-22	649-470-00-4	
Classification	: -				L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eve contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

Do not use water jet as an extinguisher, as this will spread the fire.

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing media

5.2. Special hazards arising

from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves. rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the

ground.

4727 Version #: 04 Revision date: 15-December-2022 Issue date: 13-August-2018

Material name: HyPrene V175BS - Ergon International

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS, For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Value

Form

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

Type

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Material

Occupational exposure limits

Belgium. Exposure Limit Values

	7 F -		
HyPrene V175BS	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 o	n protection of workers again	st risks of exposure to	chemical agents at work
Material	Туре	Value	
HyPrene V175BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Czech Republic. OELs. Government Material	Decree 361 Type	Value	Form
HyPrene V175BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyPrene V175BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limits			_
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.

Material name: HyPrene V175BS - Ergon International

SDS EU 3 / 10

4727 Version #: 04 Revision date: 15-December-2022 Issue date: 13-August-2018

Finland. Workplace Exposure Lii	mits		
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisor Compounds in the Work Area (D		Investigation of Health H	azards of Chemical
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/19 Material	999, as amended) Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Material	Chemical Safety of Workplace Type	es Value	
HyPrene V175BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Iceland. OELs. Regulation 154/3 Material	1999 on occupational exposur Type	e limits Value	Form
HyPrene V175BS	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure		Walna	Form
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Lin Material	nits Type	Value	Form
	TWA	5 mg/m3	Inhalable fraction.
HyPrene V175BS Components	Type	5 mg/m3 Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational expo	sure limit values of chemical Type	substances in work envir	onment
HyPrene V175BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values fo Material	r Chemical Substances, Gene Type	ral Requirements Value	Form
HyPrene V175BS	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		_	

Material name: HyPrene V175BS - Ergon International 4727 Version #: 04 Revision date: 15-December-2022 Issue date: 13-August-2018

Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	STEL	3 mg/m3	Fume and mist.
·	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding)			_
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms fo Material	r Contaminants in the Workplace Type	Value	Form
HyPrene V175BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TLV	1 mg/m3	Mist.
	of Labour and Social Policy on 6 Ju harmful health factors in the work o Type		
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
Portugal. VLEs. Norm on occupati	onal exposure to chemical agents (NP 1796)	
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of wor Material	kers from exposure to chemical age Type	ents at the workpl Value	ace
HyPrene V175BS	/ F =		
HyPrene V175BS	STEL	10 mg/m3	
HyPrene V175BS			
·	STEL	10 mg/m3	
Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA	10 mg/m3 5 mg/m3	
Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type	10 mg/m3 5 mg/m3 Value	
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30	STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3	chemical agents Form
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 30 Material	STEL TWA Type STEL TWA TWA 0/2007 concerning protection of he	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with	_
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	STEL TWA Type STEL TWA 0/2007 concerning protection of he Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value	Form
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	STEL TWA Type STEL TWA 0/2007 concerning protection of he Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3	Form Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	STEL TWA Type STEL TWA 0/2007 concerning protection of he Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3 15 ppm	Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL TWA Type STEL TWA 0/2007 concerning protection of he Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3 15 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type STEL TWA 0/2007 concerning protection of he Type STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type STEL TWA 10/2007 concerning protection of he Type STEL TWA Type Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS	STEL TWA Type STEL TWA 10/2007 concerning protection of he Type STEL TWA Type Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.

Spain. Occupational Exposure		Walaaa	Fa
Material	Туре	Value	Form
HyPrene V175BS	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environm	ent Authority (AV), Occupation	onal Exposure Limit Values	(AFS 2015:7)
Material	Туре	Value	Form
HyPrene V175BS	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwerte	am Arbeitsplatz		
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS	TWA	5 mg/m3	Inhalable fraction.

Biological limit values

64742-57-0)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Austria MAK: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Belgium OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Croatia ELVs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Czech Republic PELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Estonia OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

EU. OELs from Annex III, Part A to Directive 2004/37/EC: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Iceland OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Ireland Exposure Limit Values: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Lithuania OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Netherlands OELs (binding): Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Slovakia OELs for Carcinogens and Mutagens: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Slovenia. CMR. Protection of workers from exposure to carcinogen and mutagen agents (ULRS 101/2005, as amended)

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Sweden Threshold Limit Values: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

8.2. Exposure controls

controls

Appropriate engineering

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in discussion **General information**

with the supplier of the personal protective equipment.

Eye/face protection

Goggles/face shield are recommended. Eye protection should meet standard EN 166.

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable. Wear suitable gloves tested to EN374.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liauid.

Colour Light Amber to Golden Odour Mild Petroleum Odor

Melting point/freezing point -8,89 °C (16 °F) ASTM D5950 (Typical)

Boiling point or initial boiling point and boiling range

> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294

Will burn if involved in a fire. **Flammability**

Flash point >= 282,2 °C (>= 540,0 °F) Cleveland open cup ASTM D92/ ISO 2592

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659 **Decomposition temperature** Property has not been measured. Property has not been measured.

Kinematic viscosity $>=38,1 \text{ mm}^2/\text{s}$

Solubility

Solubility (water) Insoluble **Partition coefficient** Not established.

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052)

Vapour density > 5

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard No relevant additional information available.

classes

9.2.2. Other safety characteristics

1010 cSt (40 °C (104 °F) ASTM D445/ ISO 3014) **Viscosity**

SECTION 10: Stability and reactivity

Material name: HyPrene V175BS - Ergon International

10.1. Reactivity Strong oxidising agents.

4727 Version #: 04 Revision date: 15-December-2022 Issue date: 13-August-2018

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Not classified. **Acute toxicity**

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Not classified. **Respiratory sensitisation** Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not classified.

Mixture versus substance information

Not available.

11.2. Information on other hazards

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient Not established.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil Not available.

Material name: HyPrene V175BS - Ergon International

12.5. Results of PBT and

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

vPvB assessment

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects

Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

bulk according to IMO

instruments

General information Not regulated as dangerous goods.

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations Not available.

References Chemical Abstracts Service Registry Handbook

CRC: Handbook of Chemistry and Physics

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information Training information

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyPrene V175BS - Ergon International

SDS EU