

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HvPrint 100

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pigments; Printing Inks

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: Ergon, Inc. Address: P.O. Box 1639

Jackson, MS 39215

E-mail: sds@ergon.com

Emergency Contacts

Customer service: 1-800-222-7122

CHEMTREC: 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

None. **Hazard pictograms** Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. Storage **Disposal** Not applicable.

Supplemental label

information

None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

No 1907/2006, Annex XIII. The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in

accordance with REACH Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	-				L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Material name: HyPrint 100 SDS EU 1 / 10

4712 Version #: 12 Revision date: 15-December-2022 Issue date: 17-June-2011

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water, Remove contaminated clothing, Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eve contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand

breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

fire

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental

precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

Material name: HyPrint 100 SDS EU 2 / 10

4712 Version #: 12 Revision date: 15-December-2022 Issue date: 17-June-2011

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Material	Туре	Value	Form
HyPrint 100	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 Material	on protection of workers ag Type	gainst risks of exposure to Value	chemical agents at wo
HyPrint 100	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Czech Republic. OELs. Governme Material	nt Decree 361 Type	Value	
HyPrint 100	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Values Material	Туре	Value	Form
HyPrint 100	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Lin Material	nits Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisor Compounds in the Work Area (DI		Investigation of Health H	azards of Chemical
Material	Туре	Value	Form
HyPrint 100	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/19 [.] Material	99, as amended) Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.

	Туре	Value	
HyPrint 100	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	
celand. OELs. Regulation 154/19 Material	99 on occupational exposure li Type	mits Value	Form
HyPrint 100	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5)	TWA	1 mg/m3	Mist.
italy. Occupational Exposure Limit Material	ts Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposu Material	Туре	Value	onment
HyPrint 100	TWA —	5 mg/m3	
Components	Туре	Value	
	T) A / A		
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (•	-	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for (Material	Chemical Substances, General Type	Requirements Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for (Material	Chemical Substances, General Type STEL	Requirements Value 3 mg/m3	Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100	Chemical Substances, General Type STEL TWA	Requirements Value 3 mg/m3 1 mg/m3	
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	Chemical Substances, General Type STEL	Requirements Value 3 mg/m3	Fume and mist. Fume and mist.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100 Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS	Chemical Substances, General Type STEL TWA Type	Requirements Value 3 mg/m3 1 mg/m3 Value	Fume and mist. Fume and mist. Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Netherlands. OELs (binding)	Chemical Substances, General Type STEL TWA Type STEL TYPE TWA	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Fume and mist. Fume and mist. Form Fume and mist.
pistillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5) ithuania. OELs. Limit Values for of faterial lyPrint 100 Components pistillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5) letherlands. OELs (binding) faterial	Chemical Substances, General Type STEL TWA Type STEL TYPE TWA TWA TWA Type	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 1 mg/m3 Value	Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5) Lithuania. OELs. Limit Values for Olaterial HyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5) Metherlands. OELs (binding) Material HyPrint 100	Chemical Substances, General Type STEL TWA Type STEL TWA Type STEL TWA TWA Type TWA	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5) Lithuania. OELs. Limit Values for Odaterial hyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5) Metherlands. OELs (binding) Material hyPrint 100 Components Components	Chemical Substances, General Type STEL TWA Type STEL TWA Type TWA Type TWA Type	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value	Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist. Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy	Chemical Substances, General Type STEL TWA Type STEL TWA Type STEL TWA TWA Type TWA	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for OM Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Netherlands. OELs (binding) Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS Distillates (petroleum), hydrotreated heavy haphthenic (CAS	Chemical Substances, General Type STEL TWA Type STEL TWA Type TWA Type TWA Type TWA Type TWA Type	Requirements Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Form Mist. Form

Norway. Administrative Norms for Contaminants in the Workplace Components Form Type Value TLV Distillates (petroleum), 1 mg/m3 Mist. hydrotreated heavy naphthenic (CAS 64742-52-5) Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 **Form** Components Value **Type** Distillates (petroleum), TWA 5 mg/m3 Inhalable fraction. hydrotreated heavy naphthenic (CAS 64742-52-5) Inhalable fraction. 0 ppm Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) **Form Material** Value **Type** TWA Inhalable fraction. HyPrint 100 5 mg/m3 **Form Components** Type **Value** Distillates (petroleum), TWA 5 mg/m3 Inhalable fraction. hydrotreated heavy naphthenic (CAS 64742-52-5)

017 12 32 37			
Romania. OELs. Protection of Material	workers from exposure to che Type	emical agents at the workplace Value	
HyPrint 100	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	
	TWA	5 mg/m3	

Slovakia. OELs. Regulation No Material	Туре	Value	Form
HyPrint 100	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Exposure	Limits		
Material	Туре	Value	Form
HyPrint 100	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Material	Туре	Value	Form
HyPrint 100	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwerte	e am Arbeitsplatz		
Material	Туре	Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA	5 mg/m3	Inhalable fraction.

Biological limit values

64742-52-5)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection
Skin protection

Goggles/face shield are recommended. Eye protection should meet standard EN 166.

- Hand protection

Wear suitable gloves tested to EN374. Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash

protection Neoprene, PVC gloves may be suitable.

- **Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection

Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)] meeting EN14387.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Form Liquid.
Colour Amber

Odour Mild Petroleum Odor

Melting point/freezing point -48,89 °C (-56 °F) ASTM D5949/ ISO 3016

Boiling point or initial boiling point and boiling range

> 315,56 °C (> 600 °F) ASTM D2887/ ISO 3294

Flammability Will burn if involved in a fire.

Flash point 173,0 °C (343,4 °F) Cleveland open cup ASTM D92/ ISO 2592

162,0 °C (323,6 °F) Pensky-Martens Closed Cup ASTM D93

Auto-ignition temperature> 315,56 °C (> 600 °F) ASTM E659Decomposition temperatureProperty has not been measured.pHProperty has not been measured.

Kinematic viscosity $>= 38,1 \text{ mm}^2/\text{s} (37,8 \text{ °C} (100,04 \text{ °F}))$

Solubility

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Density and/or relative density Relative density0

Relative density temperature

15,6 °C (60,08 °F) ASTM D4052/ ISO 12185

Vapour density Property has not been measured.

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard

No relevant additional information available.

classes

9.2.2. Other safety characteristics

Viscosity 21 cSt

Viscosity temperature 40 °C (104 °F) ASTM D445/ ISO 3104

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable

10.3. Possibility of hazardous

Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritationNot classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisationNot classified. **Skin sensitisation**Not classified.

Germ cell mutagenicity

Non-mutagenic based on Modified Ames Assay.

Carcinogenicity

Note L - This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated heavy naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-52-5)

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard
Mixture versus substance

Not classified. Not available.

information
11.2. Information on other hazards

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting Thi

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste codeNot applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

methods/information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk according to IMO

instruments

General information Not regulated as dangerous goods.

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended. Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations Not available. References **ACGIH**

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements. which are not written out in full under sections 2 to 15

None.

Revision information Training information Disclaimer

This document has undergone significant changes and should be reviewed in its entirety. Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

4712 Version #: 12 Revision date: 15-December-2022 Issue date: 17-June-2011 10 / 10