ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold 5000BS

Identification number 649-470-00-4 (Index number)

Registration number 01-2119489287-22

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Not applicable. Response Not applicable. Storage Not applicable. **Disposal** Not applicable.

Supplemental label

information

None.

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. 2.3. Other hazards

> The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH

Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

Material name: HyGold 5000BS - Ergon International

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Residual oils (petroleum), hydrotreated	<=100	64742-57-0 265-160-8	01-2119489287-22	649-470-00-4	
Classifica	tion: -				ı

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract

for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water, Remove contaminated clothing, Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of Ingestion

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Not available.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the

ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s)Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values				
Material	Туре	Value	Form	
HyGold 5000BS	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Type Value HyGold 5000BS TWA 5 mg/m3

Components
Type
Value

Residual oils (petroleum),
TWA
5 mg/m3

hydrotreated (CAS 64742-57-0)

Czech Republic. OELs. Government Decree 361

Material	Type	Value	Form
HyGold 5000BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyGold 5000BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS	TLV	1 mg/m3	Mist.

Material name: HyGold 5000BS - Ergon International

64742-57-0)

Finland. Workplace Exposure Limits Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory OELs). Commission for the Investiga	tion of Health H	azards of Chemical
Compounds in the Work Area (DFG) Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999, as			F
Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chemic Material	al Safety of Workplaces Type	Value	
HyGold 5000BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	
celand. OELs. Regulation 154/1999 on Material	occupational exposure limits Type	Value	Form
lyGold 5000BS	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 64742-57-0)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits	-	W-loo	Fa
Material	Type	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure lin Material	nit values of chemical substance Type	es in work enviro Value	onment
HyGold 5000BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	

Material name: HyGold 5000BS - Ergon International

Material	Туре	Value	Form
HyGold 5000BS	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Workplace Type	Value	Form
HyGold 5000BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.
	of Labour and Social Policy on 6 Jun armful health factors in the work e Type		
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Tryddia 3000b3	IWA	0 ppm	Inhalable fraction.
Dowlers I VI Sa Navya an accountie	and armaerine to showing a monte (M		Tillialable Haction.
Material	nal exposure to chemical agents (N Type	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of worl Material	kers from exposure to chemical age Type	nts at the workpl Value	ace
HyGold 5000BS	STEL	10 mg/m3	
11,0010 300003		5 mg/m3	
,	TWA	5 Hig/IIIS	
,	TWA Type	Value	
Components Residual oils (petroleum), hydrotreated (CAS		5 .	
Components Residual oils (petroleum), hydrotreated (CAS	Туре	Value	
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300	Type STEL	Value 10 mg/m3 5 mg/m3	chemical agents Form
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	Type STEL TWA D/2007 concerning protection of hea	Value 10 mg/m3 5 mg/m3 alth in work with	
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	Type STEL TWA D/2007 concerning protection of heat Type	Value 10 mg/m3 5 mg/m3 alth in work with Value	Form
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	Type STEL TWA D/2007 concerning protection of heat Type	Value 10 mg/m3 5 mg/m3 alth in work with Value 3 mg/m3	Form Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	Type STEL TWA D/2007 concerning protection of heat Type STEL	Value 10 mg/m3 5 mg/m3 alth in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Type STEL TWA D/2007 concerning protection of heat Type STEL	Value 10 mg/m3 5 mg/m3 alth in work with Value 3 mg/m3 15 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist.

Material name: HyGold 5000BS - Ergon International

Slovakia. OELs. Regulation No. 3 Components	Туре	Value	Form
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Exposure L	imits		
Material	Туре	Value	Form
HyGold 5000BS	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environme Material	ent Authority (AV), Occupation	onal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold 5000BS	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwerte	am Arbeitsplatz		
Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values No b	piological exposure limits noted f	or the ingredient(s).	
ommended monitoring Follo	w standard monitoring procedu		

Rec

procedures

Not available. **Derived no effect levels**

(DNELs)

Predicted no effect Not available.

concentrations (PNECs)

Exposure guidelines

Austria MAK: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Belgium OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Croatia ELVs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Czech Republic PELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Estonia OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

EU. OELs from Annex III, Part A to Directive 2004/37/EC: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Iceland OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Ireland Exposure Limit Values: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Lithuania OELs: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Material name: HyGold 5000BS - Ergon International 5935 Version #: 12 Revision date: 30-December-2022 Issue date: 05-June-2018 Netherlands OELs (binding): Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Slovakia OELs for Carcinogens and Mutagens: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Slovenia. CMR. Protection of workers from exposure to carcinogen and mutagen agents (ULRS 101/2005, as amended)

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

Sweden Threshold Limit Values: Skin designation

Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eve/face protection

Skin protection - Hand protection Goggles/face shield are recommended. Eye protection should meet standard EN 166.

Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable. Wear suitable gloves tested to EN374.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Under normal conditions, respirator is not normally required. When workers are facing Respiratory protection

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and **Hygiene** measures

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liauid.

Colour Light Amber to Golden **Odour** Mild Petroleum Odor

-8,89 °C (16 °F) ASTM D5950 (Typical) Melting point/freezing point

Boiling point or initial boiling

point and boiling range

> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294

Flammability Will burn if involved in a fire.

>= 282,2 °C (>= 540,0 °F) Cleveland open cup ASTM D92/ ISO 2592 Flash point

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659 **Decomposition temperature** Property has not been measured. Property has not been measured.

Kinematic viscosity $>= 38,1 \text{ mm}^2/\text{s}$

Solubility

Solubility (water) Insoluble

Partition coefficient (n-octanol/water) (log value)

Not established.

Vapour pressure Property has not been measured.

Density and/or relative density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052)

Vapour density > 5

Material name: HyGold 5000BS - Ergon International

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Viscosity 1010 cSt (40 °C (104 °F) ASTM D445/ ISO 3014)

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

10.4 Conditions to avoid

Strong oxidising agents.

10.6. Hazardous

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. **Aspiration hazard** Mixture versus substance

information

properties

Not available

11.2. Information on other hazards

Endocrine disrupting

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

Not expected to be harmful to aquatic organisms. 12.1. Toxicity

12.2. Persistence and

degradability

Not inherently biodegradable.

Material name: HyGold 5000BS - Ergon International 5935 Version #: 12 Revision date: 30-December-2022 Issue date: 05-June-2018 SDS FU

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

Not established.

Not available.

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF)

12.4. Mobility in soil

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

bulk according to IMO instruments

Not established.

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Material name: HyGold 5000BS - Ergon International

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Residual oils (petroleum), hydrotreated (CAS 64742-57-0)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulationsThe product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: Part 2 (Named dangerous substances) - 34. Petroleum products and alternative fuels.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name On in	ventory (yes/no)*		
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Voc" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available.

References Chemical Abstracts Service Registry Handbook

CRC: Handbook of Chemistry and Physics

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not applicable.

Material name: HyGold 5000BS - Ergon International
5935 Version #: 12 Revision date: 30-December-2022 Issue date: 05-June-2018

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Full text of any statements, which are not written out in full under sections 2 to 15 Revision information Training information Disclaimer

None.

This document has undergone significant changes and should be reviewed in its entirety. Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold 5000BS - Ergon International 5935 Version #: 12 Revision date: 30-December-2022 Issue date: 05-June-2018