ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold P150BS

Identification number 649-471-00-X (Index number)

Registration number -

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39215

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Number

US Customer Service: +1-800-222-7122

CHEMTREC: +1-800-424-9300 After Business Hours (North America)

+1-703-527-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

E-mail: sds@ergon.com

34-931768545 (Spain) 39-0245557031 (Italy) 49-69643508409 (Germany)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Health hazards

Carcinogenicity Not classified

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

Hazard pictograms None. Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Supplemental label

information

None.

Material name: HyGold P150BS - Ergon International EWV
4750 Version #: 02 Revision date: 06-04-2025 Issue date: 06-10-2024

2.3. Other hazards

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

General inform	nation
----------------	--------

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED	≤100	64742-62-7 265-166-0	-	649-471-00-X	
Classification:	-				L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get

medical advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder

contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get

medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media Suitable extinguishing

media

Unsuitable extinguishing

media

an extinguisher, as this will spread the fire.

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as

demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Ensure adequate ventilation.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Material name: HyGold P150BS - Ergon International EWV

4750 Version #: 02 Revision date: 06-04-2025 Issue date: 06-10-2024

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the

SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

5 mg/m3

Inhalable fraction.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Germany, DFG MAK List (advisory OELs), Commission for the Investigation of Health Hazards of Chemical

Compounds in the Work Area (DFG), as updated **Material**

Form Type Value **RESIDUAL OILS** TWA 5 mg/m3 Respirable fraction. (PETROLEUM),

SOLVENT-DEWAXED (CAS

64742-62-7)

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations Form **Material Value Type**

RESIDUAL OILS TWA 5 mg/m3 Inhalable fraction.

(PETROLEUM), SOLVENT-DEWAXED (CAS

64742-62-7)

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

Form **Material** Type Value

RESIDUAL OILS (PETROLEUM),

SOLVENT-DEWAXED (CAS

64742-62-7)

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80,

Annex 1), as amended

Material Type Value RESIDUAL OILS TWA 5 mg/m3

TWA

(PETROLEUM), SOLVENT-DEWAXED (CAS

64742-62-7)

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Material Value Form **Type RESIDUAL OILS** TWA 5 mg/m3 Inhalable fraction. (PETROLEUM),

SOLVENT-DEWAXED (CAS

64742-62-7)

Material name: HyGold P150BS - Ergon International EWV 4750 Version #: 02 Revision date: 06-04-2025 Issue date: 06-10-2024 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

MaterialTypeValueFormRESIDUAL OILS
(PETROLEUM),
SOLVENT-DEWAXED (CAS
64742-62-7)STEL3 mg/m3Fume and mist.15 ppmFume and mist.

5 ppm Fume and mist.

TWA

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte
Material Type Value Form

RESIDUAL OILS TWA 5 mg/m3 Inhalable fraction. (PETROLEUM),

SOLVENT-DEWAXED (CAS 64742-62-7)

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Skin protection

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

1 mg/m3

Fume and mist.

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection

Goggles/face shield are recommended.

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet

style gloves.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing to remove

contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Form Liquid.

Color Pale to Light Amber **Odor** Hydrocarbon-like.

Melting point/freezing point 19,8 °F (-6,78 °C) ASTM D5950/ ISO 3016 Boiling point or initial boiling \geq 850 °F (\geq 454,44 °C) ASTM D2887/ ISO 3294 point and boiling range

Flammability Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower

.....

Not available.

(%)

Explosive limit - upper

(%)

Not available.

Flash point 579,0 °F (303,9 °C) Cleveland Open Cup ASTM D92/ ISO 2592

Auto-ignition temperature Property has not been measured. **Decomposition temperature** Property has not been measured.

pН Property has not been measured. Property has not been measured. Kinematic viscosity

Solubility

Solubility (water) Insoluble

Partition coefficient Not established. (n-octanol/water) (log

value)

Vapor pressure Property has not been measured.

Density and/or relative density

0,89 (60 °F (15,56 °C) ASTM D4052/ ISO 12185) **Relative density**

Vapor density Property has not been measured.

Particle characteristics

Particle size Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

463 cSt (104 °F (40 °C) ASTM D445/ ISO 3104) **Viscosity**

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidizing agents.

10.2. Chemical stability Stable.

10.3. Possibility of Hazardous polymerization does not occur.

hazardous reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitization Not classified. Skin sensitization Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Note L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic Carcinogenicity

aromatic compound (PAC) using IP 346.

Material name: HyGold P150BS - Ergon International EWV

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED (CAS 64742-62-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-62-7)

Reproductive toxicity Contains no ingredient listed as toxic to reproduction.

Specific target organ toxicity

single exposure

Not classified.

Specific target organ toxicity

repeated exposure

Not classified.

Aspiration hazard

Mixture versus substance

Not classified. Not available.

information

11.2. Information on other hazards **Endocrine disrupting**

Other information

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.

Prolonged or repeated exposure may cause: drying, cracking, or irritation of the skin.

SECTION 12: Ecological information

12.1. Toxicity No toxicity data noted for the ingredient(s).

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor

(BCF)

Not available.

Not available.

12.4. Mobility in soil

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Offer rinsed packaging material to local recycling facilities.

Not applicable. Waste codes should be assigned by the user based on the application for which **EU** waste code

the product was used.

Disposal

methods/information

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods. **14.1. UN number** 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard

Not assigned.

Hazard No. (ADR) **Tunnel restriction**

Not assigned.

code

14.4. Packing group

Material name: HyGold P150BS - Ergon International EWV

4750 Version #: 02 Revision date: 06-04-2025 Issue date: 06-10-2024

14.5. Environmental No.

hazards

14.6. Special precautions Not assigned.

for user

RTD

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental No.

hazards

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental No.

hazards

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental No.

hazards

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards Marine pollutant No.

Not assigned. **EmS** 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in Not available.

bulk according to IMO

instruments

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Material name: HyGold P150BS - Ergon International EWV

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED (CAS 64742-62-7)

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended Not listed.

Other EU regulations

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED (CAS 64742-62-7)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EU) 2020/878.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC,

> as amended. Germany: WGK 1

France regulations

France INRS Table of Occupational Diseases

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED Affections provoquées par les huiles et graisses d'origine minérale (CAS 64742-62-7) ou de synthèse 36

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment **Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Material name: HyGold P150BS - Ergon International EWV

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

Not available.

References

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Material name: HyGold P150BS - Ergon International EWV

4750 Version #: 02 Revision date: 06-04-2025 Issue date: 06-10-2024

Yes