ERGON E

SAFETY DATA SHEET

1. Identification

Product identifier	HyPrint L600
Other means of identification	None.
Recommended use	Pigments; Printing Inks
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company:	Ergon, Inc.
Address:	P.O. Box 1639
	Jackson, MS 39215
E-mail:	sds@ergon.com
Emergency Contacts	
Customer Service:	1-800-222-7122
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)
	1-703-527-3887 After Business Hours (International)

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	Not applicable.
Hazard statement	Not applicable.
Precautionary statement	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	<=100
4. First-aid measures			
Inhalation	Move to fresh air. Oxygen or artificial respirat advice/attention.	tion if needed. IF exposed or o	concerned: Get medical
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.		
Eye contact	Flush thoroughly with water. If irritation occu	rs, get medical assistance.	
Ingestion	Call a poison control center immediately. Do have victim lean forward to reduce risk of asp	5	ting occurs naturally,

Material name: HyPrint L600

Most important symptoms/effects, acute and delayed	Defatting of the skin.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Contact physician if discomfort continues.
5. Fire-fighting measures	6

Suitable extinguishing media Water spray or fog. Foam. Do not use water jet as an extinguisher, as this will spread the fire. Dry chemicals. Carbon dioxide (CO2). Halon. Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards arising from No unusual fire or explosion hazards noted. the chemical Special protective equipment Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand and precautions for breathing apparatus, protective clothing and face mask. firefighters **Fire fighting** Firefighters must use standard protective equipment including flame retardant coat, helmet with equipment/instructions face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Cool containers exposed to flames with water until well after the fire is out. Use pressurized air mask if product is involved in a fire. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. **General fire hazards** No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
	Never return spills in original containers for re-use.
Environmental precautions	Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.
7. Handling and storage	
Precautions for safe handling	Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limit Material	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
HyPrint L600	PEL	5 mg/m3	Mist.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Lim Material	it Values Type	Value	Form
HyPrint L600	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide Material	e to Chemical Hazards Type	Value	Form
HyPrint L600	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	350 mg/m3	
logical limit values propriate engineering trols	No biological exposure limits noted for the ingra Provide adequate ventilation, including appropr occupational exposure limit is not exceeded.	()	to ensure that the defined
Eye/face protection	res, such as personal protective equipment Wear safety glasses with side shields (or goggle	es). Goggles/face sh	ield are recommended.
Skin protection Hand protection	Wear appropriate chemical resistant gloves. Chemical resistant gloves are recommended. If conta with forearms is likely wear gauntlet style gloves.		
Other	Chemical/oil resistant clothing is recommended	. Launder contamina	ted clothing before reuse.
Respiratory protection	Under normal conditions, respirator is not norm suitable respiratory equipment.	ally required. In cas	e of insufficient ventilation, w
Thermal hazards	Wear appropriate thermal protective clothing, v	when necessary.	
eral hygiene siderations	Always observe good personal hygiene measure before eating, drinking, and/or smoking. Routin Discard contaminated footwear that cannot be	ely wash work cloth	
Physical and chemica	I properties		
earance	Clear & bright		
Physical state	Liquid.		
Form	Liquid.		
- ·			

Odor threshold Not available.		le.	
Materi	al name: HyPrint	L600	
7250	Version #: 02	Revision date: 01-20-2022	Issue date: 12-28-2021

Amber.

Mild Petroleum Odor

Color

Odor

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	433.4 °F (223.0 °C) ASTM D92
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	117.2 cSt
Other information	
Specific gravity	0.9155 @15.6°C/60 °F

10. Stability and reactivity

•	•
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

intervention on intervention	
Inhalation	May be harmful if inhaled. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological e	ffects
Eye contact Ingestion Symptoms related to the physical, chemical and toxicological characteristics	May be irritating to eyes. May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. Direct contact with eyes may cause temporary irritation.

 Acute toxicity
 Not classified.

 Skin corrosion/irritation
 Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye irritation	Not classified.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not classified.	
Skin sensitization	Not classified.	
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
NAPHTHENIC (CAS 64742	IM), HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. 2-52-5) ed Substances (29 CFR 1910.1001-1052)	
Not regulated.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Chronic effects	Prolonged inhalation may be harmful. Prolonged or repeated contact may cause drying, cracking, or irritation of the skin.	

12. Ecological information

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not inherently biodegradable.
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
General information	Not regulated as dangerous goods.	
15. Regulatory informati	on	
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined b Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	y the OSHA Hazarc
	CERCLA/SARA Hazardous Substances - Not applicable.	
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	ase notification	
	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.		
SARA 302 Extremely hazar	eauthorization Act of 1986 (SARA)	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
-	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
. ,	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated. Safe Drinking Water Act	Not regulated.	
(SDWA)	Not regulated.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the	he aovernina country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

	relating date of preparation of last revision
Issue date	12-28-2021
Revision date	01-20-2022
Version #	02
Further information	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
References	ACGIH ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices IARC Monographs. Overall Evaluation of Carcinogenicity Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Physical & Chemical Properties: Multiple Properties