

1. Identification

Product identifier	HyPrint 60		
Other means of identification	None.		
Recommended use	Pigments; Printing Inks		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Company:	Ergon, Inc.		
Address:	P.O. Box 1639		
	Jackson, MS 39215		
E-mail:	sds@ergon.com		
Emergency Contacts			
Customer Service:	1-800-222-7122		
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)		
	1-703-527-3887 After Business Hours (International)		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Do not breathe gas/fumes/vapor/spray.
Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Substances			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrot light naphthenic	treated	64742-53-6	<=100
Composition comments	A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces finished oil with a viscosity near 60 SUS at 100°F.		
4. First-aid measures			
Inhalation	Move to fresh air. Oxygen or artificial respirat advice/attention.	ion if needed. IF exposed or c	concerned: Get medical

Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.	
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.	
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately.	
Most important symptoms/effects, acute and delayed	Defatting of the skin. Irritating to mouth, throat, and stomach. Shortness of breath. Coughing.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Contact physician if discomfort continues.	
5. Fire-fighting measures	5	
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.	
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.	
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.	
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.	
Fire fighting equipment/instructions	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.	
General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB	
6. Accidental release mea	asures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.	
Methods and materials for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer,	
	basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.	
7. Handling and storage		
Precautions for safe handling	DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.	

Conditions for safe storage,
including any
incompatibilitiesStore locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place.
Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limit Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Lim		Value	Form
Components	Туре		-
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Material	Туре	Value	Form
HyPrint 60	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	the ingredient(s).	
propriate engineering trols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
ividual protection measur Eye/face protection	es, such as personal protective equip Goggles/face shield are recommended.		
Skin protection Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
Other	Chemical/oil resistant clothing is recom	mended. Launder contamina	ated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material a before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.		

9. Physical and chemical properties

Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Color	Colorless to slight yellow tint
Odor	Mild Petroleum Odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	-81.4 °F (-63 °C) ASTM D5950/ISO 3016

Initial boiling point and boiling range	543.2 °F (284 °C) ASTM D86/ ISO 3294	
Flash point	307.4 °F (153.0 °C) Cleveland Open Cup ASTM D92/ ISO 2592 289.4 °F (143.0 °C) Pensky-Martens Closed Cup ASTM D93/ ISO 2719	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	> 5	
Relative density	0.885 (60 °F (15.56 °C) ASTM D4052/ ISO 12185)	
Solubility(ies) Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not established.	
Auto-ignition temperature	> 600 °F (> 315.56 °C) ASTM E659	
Decomposition temperature	Not available.	
Viscosity	9.34 (104 °F (40 °C) ASTM D445/ISO 3104)	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of	i exposure		
Inhalation	May be fatal if swallowed and enters airways.		
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
Eye contact	May be irritating to eyes.		
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.		
Symptoms related to the physical, chemical and toxicological characteristics	Defatting of the skin. Coughing. Shortness of breath	n. Discomfort in the chest.	
Information on toxicological effects			
Acute toxicity	Not applicable.		
Components	Species	Test Results	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Inhalation			
LC50	Rat	> 5000 mg/m ³	

Components	Species	Test Results	
Oral			
LD50	Rat	> 5000 mg/kg	
Not available * Estimatos for	product may be based on additional com	poport data not shown	
Skin corrosion/irritation	 product may be based on additional component data not shown. May cause defatting of the skin, but is neither an irritant nor a sensitizer. 		
Serious eye damage/eye	Not classified. May cause minor irritation		
irritation	Not classified. Play cause minor initiation		
Respiratory or skin sensitization			
Respiratory sensitization	Not classified.		
Skin sensitization		e skin, but is neither an irritant nor a sensitizer.	
Germ cell mutagenicity	No data available to indicate product or mutagenic or genotoxic.	any components present at greater than 0.1% are	
Carcinogenicity		arcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU SO extract for total polycyclic aromatic compound (PAC)	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-10)53)	
Not listed.			
	ogram (NTP) Report on Carcinogens		
Distillates (petroleum), hy (CAS 64742-53-6)	drotreated light naphthenic Known T	ō Be Human Carcinogen.	
Reproductive toxicity	Contains no ingredient listed as toxic to	reproduction.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	May be fatal if swallowed and enters air	ways.	
Chronic effects	Prolonged inhalation may be harmful. P	rolonged exposure may cause chronic effects.	
Further information	Risk of chemical pneumonia after aspira	tion.	
12. Ecological information	n		
Ecotoxicity	Not expected to be harmful to aquatic o	rganisms.	
Persistence and degradability	Not inherently biodegradable.		
Bioaccumulative potential	Bioaccumulation is unlikely to be signific	cant because of the low water solubility of this product.	
Mobility in soil	Not available.		
Other adverse effects		(e.g. ozone depletion, photochemical ozone creation varming potential) are expected from this component.	
13. Disposal consideration	ons		
Disposal instructions	RCRA waste under 40 CFR 261. Disposa	liscarded as waste, it does not meet the definition of a I recommendations are based on material as supplied. rrent applicable laws and regulations, and material	
Hazardous waste code	Not applicable.		
Waste from residues / unused products	Dispose of in accordance with local regu ground.	lations. Avoid discharge into water courses or onto the	
Contaminated packaging		approved waste handling site for recycling or disposal. oduct residue, follow label warnings even after container is al to local recycling facilities.	
14. Transport informatio	n		

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

General information Not regulated as dangerous goods.

15. Regulatory informati	on	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Haza 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	ard Communication Standard,
	CERCLA/SARA Hazardous Substances - Not applicable.	
Toxic Substances Control A	ict (TSCA)	
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	ise notification	
Not regulated. OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.1001-1053)	
Superfund Amendments and Ro SARA 302 Extremely hazar Not listed.	eauthorization Act of 1986 (SARA) dous substance	
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectior	112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Sectior Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Not regulated.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Country(s) or region	Inventory name	On inventory (yes/no)*
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

	, 5 F
Issue date	05-12-2014
Revision date	10-04-2023
Version #	09
Further information	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Response Hazard(s) identification: Disposal Hazard(s) identification: Storage First-aid measures: Most important symptoms/effects, acute and delayed Handling and storage: Precautions for safe handling Exposure controls/personal protection: Thermal hazards Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Color Toxicological information: Reproductivity