ERGONE

SAFETY DATA SHEET

1. Identification

Product identifier HyGold L1200

Other means of identification None.

Recommended use Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company: Ergon, Inc. Address: P.O. Box 1639

Jackson, MS 39215

E-mail: sds@ergon.com

Emergency Contacts

Customer Service: 1-800-222-7122

Chemtrec: 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Hazard statement The substance does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. classified (HNOC) The substance is not included in the list established in accordance with REACH Article 59(1) for

having endocrine disrupting properties.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreate heavy naphthenic	d	64742-52-5	<=100

4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated Skin contact

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control center immediately.

Material name: HyGold L1200 SDS US 4735 Version #: 07 Revision date: 04-12-2024 Issue date: 02-27-2014 1/7 Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed Treat symptomatically.

Defatting of the skin.

General information Contact physician if discomfort continues.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

No unusual fire or explosion hazards noted.

the chemical
Special protective equipment

Special protective equipment and precautions for firefighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire fighting equipment/instructions

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.

General fire hazards

No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog.

Do not use water jet as an extinguisher, as this will spread the fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)				
Material	Туре	Value	Form	
HyGold L1200	PEL	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	

Material name: HyGold L1200 SDS US

US. ACGIH Threshold Limit Values (TLV)			
Material	Туре	Value	Form
HyGold L1200	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Material	Туре	Value	Form	
HyGold L1200	Ceiling	1800 mg/m3		
	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3		
	STEL	10 mg/m3	Mist.	
	TWA	350 mg/m3		

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Adequate ventilation should be provided whenever the material is heated or mists are generated. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Goggles/face shield are recommended. **Eve/face protection**

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear qauntlet style

Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance Clear & bright

Physical state Liquid. Liquid. **Form** Color Amber

Odor Mild Petroleum Odor

Odor threshold Not available.

рH Not applicable (insoluble in water).

-11.2 °F (-24 °C) ASTM D5950/ ISO 3016 Melting point/freezing point Initial boiling point and 626 °F (330 °C) ASTM D2887/ ISO 3294

boiling range

considerations

Flash point 465.8 °F (241.0 °C) Cleveland Open Cup ASTM D92/ ISO 2719/ IP36

Evaporation rate Not available.

Will burn if involved in a fire. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower

Not available.

(%)

Explosive limit - upper Not available.

(%)

Material name: HyGold L1200 SDS US 4735 Version #: 07 Revision date: 04-12-2024 Issue date: 02-27-2014 3 / 7 Vapor pressure Not determined.

>5 Vapor density

Relative density 0.92 (60 °F (15.56 °C) ASTM D4052/ ISO 12185)

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient**

(n-octanol/water)

Not established.

Auto-ignition temperature >600 °F (>315.56 °C) ASTM E659

Decomposition temperature Not determined.

Viscosity 230 cSt (104 °F (40 °C) ASTM D445/ ISO 3014)

Other information

Kinematic viscosity Not determined.

Particle size Not applicable, material is a liquid.

<35 mN/m (77 °F (25 °C)) **Surface tension**

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Not classified. Acute toxicity

Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer. Skin corrosion/irritation

Serious eye damage/eye

irritation

Not classified.

Respiratory or skin sensitization

Respiratory sensitization Not classified. Skin sensitization Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated heavy naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-52-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Material name: HyGold L1200 SDS US

4735 Version #: 07 Revision date: 04-12-2024 Issue date: 02-27-2014

Reproductive toxicity Contains no ingredient listed as toxic to reproduction.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Not classified. Aspiration hazard

Chronic effects Prolonged or repeated contact may cause drying, cracking, or irritation of the skin.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability

Not inherently biodegradable.

Bioaccumulative potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Mobility in soil

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

> RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

Hazardous waste code

Not applicable.

Waste from residues / unused products

Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

General information Not regulated as dangerous goods.

15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US federal regulations**

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: HyGold L1200 SDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 02-27-2014 **Revision date** 04-12-2024

Version #

Further information Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531

NFPA ratings Health: 0 Flammability: 1 Instability: 0

4735 Version #: 07 Revision date: 04-12-2024 Issue date: 02-27-2014 6/7

Material name: HyGold L1200

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

Chemical Abstracts Service Registry Handbook

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

EC Annex1 **ILO Safety Cards**

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

> information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Hazard(s) identification: Response **Revision information**

> Hazard(s) identification: Prevention Hazard(s) identification: Disposal Hazard(s) identification: Storage

Hazard(s) identification: Hazard statement

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC)

Hazard(s) identification: GHS Signal Words

Fire-fighting measures: Suitable extinguishing media Handling and storage: Precautions for safe handling Exposure controls/personal protection: Thermal hazards Physical and chemical properties: Flammability (solid, gas)

Toxicological information: Reproductivity

Material name: HyGold L1200 SDS US 7/7