

## **SAFETY DATA SHEET**

## 1. Identification

Product identifier	HyPrene V175BS	
Other means of identification	None.	
Recommended use	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company:	Ergon, Inc.	
Address:	P.O. Box 1639	
	Jackson, MS 39215	
E-mail:	sds@ergon.com	
Emergency Contacts		
Customer Service:	1-800-222-7122	
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)	
	1-703-527-3887 After Business Hours (International)	

## 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The substance does not meet the criteria for classification.
Precautionary statement Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

### 3. Composition/information on ingredients

_	Chemical name	Common name and synonyms	CAS number	%
_	RESIDUAL OILS (PETROLEUM), HYDROTREATED		64742-57-0	≤100

### 4. First-aid measures

### Inhalation

Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.

Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Defatting of the skin.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Contact physician if discomfort continues.
5. Fire-fighting measures	5
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.
General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
6. Accidental release mea	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.
7. Handling and storage	
Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a well-ventilated place.

## 8. Exposure controls/personal protection

Occupational exposure limits			
	issible Exposure Limits (PEL) for Air Type	Contaminants (29 CFR 19 Value	10.1000) Form
HyPrene V175BS	PEL	5 mg/m3	Mist.
Components	Туре	Value	Form
RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS 64742-57-0)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit	t Values (TLV)		
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
NIOSH. Immediately Dang Material	gerous to Life or Health (IDLH) Valu Type	es, as amended Value	
HyPrene V175BS	IDLH	2500 mg/m3	
Components	Туре	Value	
RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS 64742-57-0)	IDLH	2500 mg/m3	
US. NIOSH: Pocket Guide Material	to Chemical Hazards Recommended Type	Exposure Limits (REL) Value	Form
HyPrene V175BS	STEL	10 mg/m3	Mist.
Hymene V175b5	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted fo	r the ingredient(s).	
Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
Individual protection measure Eye/face protection	es, such as personal protective equi Goggles/face shield are recommended	-	
Skin protection Hand protection	Chemical resistant gloves are recomm style gloves.	nended. If contact with forear	ms is likely wear gauntlet
Other	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.		
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
General hygiene considerations	Always observe good personal hygien and before eating, drinking, and/or si contaminants. Discard contaminated	moking. Routinely wash work	clothing to remove

## 9. Physical and chemical properties

Appearance

Clear & bright

Physical state	Liquid.
Form	Liquid.
Color	Light Amber to Golden
Odor	Mild Petroleum Odor
Odor threshold	Not available.
рН	Property has not been measured.
Melting point/freezing point	16 °F (-8.89 °C) ASTM D5950 (typical)
Initial boiling point and boiling range	>700 °F (>371.11 °C) ASTM D2887/ ISO 3294
Flash point	≥540.0 °F (≥282.2 °C) Cleveland Open Cup ASTM D92/ ISO 2592
Evaporation rate	Not available.
Flammability (solid, gas)	Will burn if involved in a fire.
Upper/lower flammability or e Explosive limit - lower	<b>xplosive limits</b> Not available.
(%)	N
Explosive limit - upper (%)	Not available.
Vapor pressure	Property has not been measured.
Vapor density	>5
Relative density	0.92 (60 °F (15.56 °C) ASTM D4052)
Solubility(ies) Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	>600 °F (>315.56 °C) ASTM E659
Decomposition temperature	Property has not been measured.
Viscosity	1010 cSt (104 °F (40 °C) ASTM D445/ ISO 3014)
Other information Kinematic viscosity	≥38.1 mm2/s
Particle size	Not applicable, material is a liquid.
10. Chability and was shirid	

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# 11. Toxicological information

Information on likely routes o Inhalation	f exposure May be harmful if inhaled. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms related to the physical, chemical and toxicological characteristics	Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

Information on toxicological effects		
Acute toxicity	Not classified.	
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.	
Serious eye damage/eye irritation	Not classified.	
Respiratory or skin sensitization	on	
<b>Respiratory sensitization</b>	Not classified.	
Skin sensitization	Not classified.	
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)		
Not listed.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Chronic effects	Prolonged or repeated contact may cause drying, cracking, or irritation of the skin.	

## **12. Ecological information**

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not inherently biodegradable.
<b>Bioaccumulative potential</b>	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Mobility in soil	Not available.
Other adverse effects	Oil spills are generally hazardous to the environment.

## 13. Disposal considerations

Disposal instructions	When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Hazardous waste code	Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

General information Not regulated as dangerous goods.

## 15. Regulatory information

SARA Hazardous Substances - Not applicable. fication (40 CFR 707, Subpt. D) (40 CFR 302.4) cation ances (29 CFR 1910.1001-1053) fization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130) lated.	
(40 CFR 302.4) cation unces (29 CFR 1910.1001-1053) ization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
(40 CFR 302.4) cation unces (29 CFR 1910.1001-1053) ization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
cation Inces (29 CFR 1910.1001-1053) ization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
ances (29 CFR 1910.1001-1053) ization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
ization Act of 1986 (SARA) ostance zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
zardous Air Pollutants (HAPs) List Accidental Release Prevention (40 CFR 68.130)	
Accidental Release Prevention (40 CFR 68.130)	
Accidental Release Prevention (40 CFR 68.130)	
Accidental Release Prevention (40 CFR 68.130)	
Accidental Release Prevention (40 CFR 68.130)	
lated.	
lated.	
ry name On inventory (yes/	no)*
n Inventory of Industrial Chemicals (AICIS)	Yes
Substances List (DSL)	Yes
estic Substances List (NDSL)	No
of Existing Chemical Substances in China (IECSC)	Yes
Inventory of Existing Commercial Chemical es (EINECS)	Yes
List of Notified Chemical Substances (ELINCS)	No
of Existing and New Chemical Substances (ENCS)	Yes
Chemicals List (ECL)	Yes
and Inventory	Yes
Inventory of Chemicals and Chemical Substances	Yes
hemical Substance Inventory (TCSI)	Yes
ostances Control Act (TSCA) Inventory	Yes
e	land Inventory e Inventory of Chemicals and Chemical Substances Chemical Substance Inventory (TCSI) bstances Control Act (TSCA) Inventory s product comply with the inventory requirements administered by the governing country(s) ts of the product are not listed or exempt from listing on the inventory administered by the

Issue date	06-02-2014
Revision date	04-01-2025
Version #	07

Further information NFPA ratings	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531 Health: 1 Flammability: 1 Instability: 0
References	Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.