SAFETY DATA SHEET



1. Identification

Product identifier	SC4XXX Series Part B Coating and Lining (All Colors)	
Other means of identification	None.	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Suppl	ier/Distributor information	
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.	
Address	2829 Lakeland Drive	
	Jackson, MS 39232	
	USA	
After hours telephone number	1-800-222-7122	
Normal work hours telephone number	1-877-982-7667	
Website	www.ergonarmor.com	
E-mail	sds@ergon.com	
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887	
Information on operation hours	8:00 a.m. to 5:00 p.m.	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word Hazard statement

Causes serious eye damage. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure by ingestion. Causes skin irritation. May cause an allergic skin reaction.

Precautionary statement Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Danger

Response	If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash before reuse. Immediately call a poison center/doctor/. Specific treatment see Section 4 of this SDS. IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	75-85
4,4'-METHYLENEBIS(CYCLOHEXYLA MINE)	ι.	1761-71-3	1-10
SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.		64742-95-6	<1
BENZENE,1-METHYLETHYL-		98-82-8	0.01

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist.
Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.
Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.
Direct contact with eyes may cause temporary irritation.
Treat symptomatically.
Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
protective equipment and	
emergency procedures	

Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value
BENZENE,1-METHYLETHYL- (CAS 98-82-8)	PEL	245 mg/m3
		50 ppm
US. ACGIH Threshold Lim		
Components	Туре	Value
BENZENE,1-METHYLETHYL- (CAS 98-82-8)	TWA	50 ppm
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
BENZENE,1-METHYLETHYL- (CAS 98-82-8)	TWA	245 mg/m3
		50 ppm
	ronmental Exposure Level	
Components	Туре	Value
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3
		10 ppm
logical limit values	No biological exposure limit	s noted for the ingredient(s).
osure guidelines		
US - California OELs: Skin	designation	
BENZENE,1-METHYLETH US - Minnesota Haz Subs		Can be absorbed through the skin.
BENZENE,1-METHYLETH	. ,	Skin designation applies.
BENZENE,1-METHYLETH	IYL- (CAS 98-82-8) o Chemical Hazards: Skin c	Can be absorbed through the skin. lesignation
BENZENE,1-METHYLETH		Can be absorbed through the skin.
BENZENE, 1-METHYLETH	•	Can be absorbed through the skin.
	· · · ·	n, including appropriate local extraction, to ensure that the define
propriate engineering trols		
propriate engineering trols	occupational exposure limit es, such as personal protect	is not exceeded.

Skin protection	
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
Other	Wear suitable protective clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

•	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Golden to Light Amber
Odor	Amine-like. Ammoniacal.
Odor threshold	Not available.
рН	Alkaline
Melting point/freezing point	-38.2 °F (-39 °C) estimated
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.12 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Partial
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.71 estimated
Specific gravity	1.05

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous	Hazardous polymerization does not occur.
reactions	

Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be harmful if inhaled.
Skin contact	Causes skin irritation. May cause an allergic skin reaction
Eye contact	Causes serious eye damage.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and	Causes serious eye damage.

toxicological characteristics

Information on toxicological effects

Components	Species	Test Results	
4,4'-METHYLENEBIS(CYCLOHEXYL	AMINE) (CAS 1761-71-3)		
Acute			
Oral			
LD50	Rat	380 mg/kg	
BENZENE,1-METHYLETHYL- (CAS	98-82-8)		
<u>Acute</u>			
Inhalation			
LC50	Rat	8000 ppm, 4 Hours	
Oral			
LD50	Rat	1400 mg/kg	
BENZYL ALCOHOL (CAS 100-51-6)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	2000 mg/kg	
Oral			
LD50	Rat	1230 - 3100 mg/kg	
	be based on additional component data not sh	iown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizati	on		
Respiratory sensitization	Not available.		
Skin sensitization	Causes skin irritation. May cause allergic skin disorders in sensitive individuals.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overal	Evaluation of Carcinogenicity		
BENZENE,1-METHYLETH US. National Toxicology Pi	(L- (CAS 98-82-8) 2B Possibly rogram (NTP) Report on Carcinogens	carcinogenic to humans.	
Not listed.			
US. OSHA Specifically Reg Not regulated.	ulated Substances (29 CFR 1910.1001-1	050)	
Reproductive toxicity	This product is not expected to cause repro	ductive or developmental effects	
Specific target organ toxicity - single exposure	Not classified.	·	
Material name: SC4XXX Series Part B	Coating and Lining (All Colors)		SDS L

Specific target organ toxicity - repeated exposure	Not classified. May cause damage to organs through prolonged or repeated exposure by ingestion.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.


12. Ecological information

12. Ecological informatio	n		
Ecotoxicity	The product of	contains a substance which is toxic to a	
Product		Species	Test Results
SC4XXX Series Part B Coating	and Lining (All	Colors)	
Aquatic			
Fish	LC50	Fish	454.7165 mg/l, 96 hours estimated
Components		Species	Test Results
BENZENE,1-METHYLETHYL- (CAS 98-82-8)		
Aquatic			
Crustacea	EC50	Brine shrimp (Artemia sp.)	3.55 - 11.29 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.7 mg/l, 96 hours
BENZYL ALCOHOL (CAS 100-5	51-6)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
		ditional component data not shown.	
Persistence and degradability	No data is av	ailable on the degradability of this prod	uct.
Bioaccumulative potential	No data avail	able.	
Partition coefficient n-octa BENZENE,1-METHYLETHYL- BENZYL ALCOHOL	anol / water (log Kow) 3.66 1.1	
Mobility in soil	No data avail	able.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions	•	oduct as supplied is to be discarded as under 40 CFR 261.	waste, it does not meet the definition of a
Local disposal regulations	Dispose in ac	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
US RCRA Hazardous Waste	e U List: Refe	rence	
BENZENE,1-METHYLETHY	/L- (CAS 98-82-	-8) U055	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		
14. Transport informatio	n		
DOT			
Not regulated as dangerous ga	oods.		
Not regulated as dangerous gi IMDG	oods.		
UN number	UN3082		
		TALLY HAZARDOUS SUBSTANCE I TO	JID. N.O.S. (BENZYL ALCOHOL), MARINE

Transport hazard class(es)
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

Listed.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

BENZENE,1-METHYLETHYL- (CAS 98-82-8)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories**

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 **Hazardous chemical** No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

BENZENE,1-METHYLETHYL- (CAS 98-82-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

BENZENE,1-METHYLETHYL- (CAS 98-82-8) Listed: April 6, 2010

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

BENZENE,1-METHYLETHYL- (CAS 98-82-8) SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. (CAS 64742-95-6)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version # NFPA ratings	03-06-2015 12-14-2017 04 Health: 3 Flammability: 0 Instability: 0
Disclaimer Revision information	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This document has undergone significant changes and should be reviewed in its entirety