# SAFETY DATA SHEET



#### 1. Identification

Product identifier EP39XX Series Part B Coating and Lining (All Colors)

Other means of identification

Synonyms EP3900

Recommended use Not available.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

Normal work hours telephone number

1-877-982-7667

Website www.ergonarmor.com
E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

**Information on operation** 8:00 a.m. to 5:00 p.m.

hours

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2
Sensitization, skin Category 1
Germ cell mutagenicity Category 2
Carcinogenicity Category 1
Reproductive toxicity (fertility, the unborn Category 2

child)

Specific target organ toxicity, repeated

exposure

**Environmental hazards** Not classified. **OSHA defined hazards** Combustible dust

**Label elements** 



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy

or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May

Category 1

cause damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention**Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not breathe dust or mist. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of

inadequate ventilation wear respiratory protection.

Material name: EP39XX Series Part B Coating and Lining (All Colors)

If swallowed: Rinse mouth. Do NOT induce vomiting. Specific treatment see Section 4 of this SDS. Response

If skin irritation occurs, seek medical advice/attention. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If

experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor. Wash contaminated

clothing before reuse.

Store locked up. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	15 - 25
4,4'-METHYLENEBIS(CYCLOHEXYLA MINE)		1761-71-3	5 - 15
BENZYL ALCOHOL		100-51-6	0 - 10
PHENOL		108-95-2	1 - 5
TRIENTINE		112-24-3	1 - 5
[3-(aminoethyl)phenyl]methanamin e		1477-55-0	1 - < 3
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	1 - < 3
Other components below reportable	levels		40 - 100

**Composition comments** 

The full text for all R-phrases is displayed in Section 16 of the SDS

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eve contact** Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that **Ingestion** 

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special

**General information** 

Treat symptomatically.

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

and precautions for

**Special protective equipment** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighters

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Conditions for safe storage,

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

Components	r Contaminants (29 CFR 1910.1000) Type	Value	
PHENOL (CAS 108-95-2)	PEL	19 mg/m3	
		5 ppm	
US. OSHA Table Z-3 (29 CFR 191	.0.1000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
<b>US. ACGIH Threshold Limit Value</b>	es		
Components	Туре	Value	Form
[3-(aminoethyl)phenyl]meth	Ceiling	0.1 mg/m3	
anamine (CAS 1477-55-0) PHENOL (CAS 108-95-2)	TWA	Ennm	
,		5 ppm	Doggiushla fusction
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction
US. NIOSH: Pocket Guide to Che			F
Components	Туре	Value	Form
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
PHENOL (CAS 108-95-2)	Ceiling	60 mg/m3	
		15.6 ppm	
	TWA	19 mg/m3	
		5 ppm	
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
<b>US. AIHA Workplace Environmer</b>	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	

# US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
TRIENTINE (CAS 112-24-3)	TWA	6 mg/m3	
		1 ppm	

#### **Biological limit values**

<b>ACGIH</b>	<b>Biological</b>	<b>Exposure Indices</b>
--------------	-------------------	-------------------------

Components	Value	Determinant	Specimen	Sampling Time
PHENOL (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

#### US - California OELs: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies** 

PHENOL (CAS 108-95-2) Skin designation applies.

**US - Tennesse OELs: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US WEEL Guides: Skin designation** 

TRIENTINE (CAS 112-24-3)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

Appropriate engineering

**controls** occupational exposure limit is not exceeded.

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear quantilet style

gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene**Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

before coulding, diagon smoking. Roddinery wash work clothing and protecti

remove contaminants.

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Solid.
Form Liquid.

Color Golden to Light Amber

Odor Ammoniacal, Amine-like.

Odor threshold Not available.

pH Alkaline

Melting point/freezing point 4.64 °F (-15.2 °C) estimated

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point 174.2 °F (79.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower 3 % estimated

(%)

Flammability limit -

10 % estimated

upper (%)

**Explosive limit - lower** 

(%)

Not available.

Not available.

**Explosive limit - upper** (%)

Not available. Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) **Partial** 

Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** 640 °F (337.78 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 11.15 lb/gal estimated

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. Causes severe skin burns and eye damage

Eye contact Causes serious eye damage.

Ingestion May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** 

**Test Results** Components Species

4,4'-METHYLENEBIS(CYCLOHEXYLAMINE) (CAS 1761-71-3)

**Acute** 

Oral

LD50 Rat 380 mg/kg Components Species Test Results

BENZYL ALCOHOL (CAS 100-51-6)

<u>Acute</u> Dermal

LD50 Rabbit 2000 mg/kg

Oral

LD50 Rat 1230 - 3100 mg/kg

PHENOL (CAS 108-95-2)

<u>Acute</u> Dermal

LD50 Rat 669 mg/kg

Oral

LD50 Rat 317 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled

**Skin sensitization** Causes skin burns.

**Germ cell mutagenicity** Suspected of causing genetic defects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

PHENOL (CAS 108-95-2)

3 Not classifiable as to carcinogenicity to humans.

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms.

Product Species Test Results

EP39XX Series Part B Coating and Lining (All Colors)

**Aquatic** 

Crustacea EC50 Daphnia 1.712 mg/l, 48 hours estimated
Fish LC50 Fish 5.5484 mg/l, 96 hours estimated

Components Species Test Results

BENZYL ALCOHOL (CAS 100-51-6)

**Aquatic** 

Fish LC50 Bluegill (Lepomis macrochirus) 10 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

PHENOL (CAS 108-95-2)

Aquatic

Crustacea EC50 Water flea (Daphnia obtusa) 4.7 - 6.4 mg/l, 48 hours
Fish LC50 Asiatic knifefish (Notopterus notopterus) 8 - 8.25 mg/l, 96 hours

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

**Aquatic** 

Crustacea EC50 Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours
Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL ALCOHOL 1.1 PHENOL 1.46

**Mobility in soil** No data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**TSCA Chemical Action Plans, Chemicals of Concern** 

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

PHENOL (CAS 108-95-2) Listed

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

PHENOL (CAS 108-95-2) 1000 LBS

4926 Version #: 03 Revision date: 01-10-2018 Issue date: 02-26-2015

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

#### **SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
PHENOL	108-95-2	1000		500	10000

**SARA 311/312** No

**Hazardous chemical** 

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
PHENOL	108-95-2	4.02	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PHENOL (CAS 108-95-2)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US state regulations**

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PHENOL (CAS 108-95-2) QUARTZ (CAS 14808-60-7)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** 02-26-2015 **Revision date** 01-10-2018

Material name: EP39XX Series Part B Coating and Lining (All Colors)

SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 03

**NFPA ratings** Health: 2

Flammability: 2 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Synonyms

Hazard(s) identification: Supplemental information

GHS: Classification