# SAFETY DATA SHEET



## 1. Identification

Product identifier SL100 Series Part B Coating and Lining (All Colors)

Other means of identification

Synonyms SL100

**Recommended use**Not available.
Recommended restrictions
None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

Normal work hours telephone number

1-877-982-7667

Websitewww.ergonarmor.comE-mailsds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

**Information on operation** 8:00 a.m. to 5:00 p.m.

hours

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation

Sensitization, respiratory

Sensitization, skin

Germ cell mutagenicity

Specific target organ toxicity, repeated

Category 1

Category 1

Category 2

Category 2

Category 2

exposure

**Environmental hazards** Not classified. **OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Causes serious eye damage. May cause damage to organs through prolonged or repeated

exposure. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes skin

irritation. May cause an allergic skin reaction. Suspected of causing genetic defects.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear

respiratory protection.

Material name: SL100 Series Part B Coating and Lining (All Colors)
4948 Version #: 04 Revision date: 01-11-2018 Issue date: 08-21-2015

Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF Response

INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	15 - 35
[3-(aminoethyl)phenyl]methanamin e		1477-55-0	0 - 40
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	0 - 40
FORMALDEHYDE, POLYMER WITH N1,N2-BIS(2-AMINOETHYL)-1,2-ET HANEDIAMINE AND PHENOL		32610-77-8	0 - 10
PHENOL		108-95-2	0 - 10
TRIENTINE		112-24-3	0 - 10
ETHYLENEDIAMINE		107-15-3	<1
Other components below reportable	levels		40 - 100

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation Eye contact

persists after washing.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special

treatment needed **General information**  Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** 

7. Handling and storage

Avoid prolonged exposure. Observe good industrial hygiene practices.

Precautions for safe handling Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Ai Components	r Contaminants (29 CFR 19) Type	10.1000) Value	
ETHYLENEDIAMINE (CAS 107-15-3)	PEL	25 mg/m3	
·		10 ppm	
PHENOL (CAS 108-95-2)	PEL	19 mg/m3	
		5 ppm	
US. ACGIH Threshold Limit Value	<del></del>	Walna	
Components	Туре	Value	
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	10 ppm	
PHENOL (CAS 108-95-2)	TWA	5 ppm	
<b>US. NIOSH: Pocket Guide to Che</b>	mical Hazards		
Components	Туре	Value	
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	25 mg/m3	
		10 ppm	
PHENOL (CAS 108-95-2)	Ceiling	60 mg/m3	
		15.6 ppm	
	TWA	19 mg/m3	
		5 ppm	
<b>US. AIHA Workplace Environmer</b>	ntal Exposure Level (WEEL)	Guides	
Components	Туре	Value	
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3	
•		10 ppm	
TRIENTINE (CAS 112-24-3)	TWA	6 mg/m3	
-		1 ppm	

Material name: SL100 Series Part B Coating and Lining (All Colors)

4948 Version #: 04 Revision date: 01-11-2018 Issue date: 08-21-2015 3 / 10

SDS US

#### **Biological limit values**

## **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
PHENOL (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

## **Exposure guidelines**

#### **US - California OELs: Skin designation**

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies** 

PHENOL (CAS 108-95-2) Skin designation applies.

**US - Tennesse OELs: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. ETHYLENEDIAMINE (CAS 107-15-3) Can be absorbed through the skin. Can be absorbed through the skin. PHENOL (CAS 108-95-2)

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US WEEL Guides: Skin designation** 

TRIENTINE (CAS 112-24-3) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

Appropriate engineering

occupational exposure limit is not exceeded. controls

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and considerations

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

## **Appearance**

**Physical state** Liquid. Liquid. **Form** Color Not available. Odor Not available. **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range Flash point

212 °F (100 °C) estimated

> 212.0 °F (> 100.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

**Auto-ignition temperature** 640 °F (337.78 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 8.22 g/cm3 estimated

Specific gravity 0.99

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability**Material is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause damage to

organs through prolonged or repeated exposure by inhalation.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation. **Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

**Acute toxicity** 

 Components
 Species
 Test Results

 BENZYL ALCOHOL (CAS 100-51-6)
 Test Results

<u>Acute</u> Dermal

LD50 Rabbit 2000 mg/kg

Oral

LD50 Rat 1230 - 3100 mg/kg

ETHYLENEDIAMINE (CAS 107-15-3)

<u>Acute</u> Dermal

LD50 Rabbit 730 mg/kg

Components	Species	Test Results
Oral		
LD50	Rat	500 mg/kg
PHENOL (CAS 108-95-2)		
<u>Acute</u>		
Dermal		
LD50	Rat	669 mg/kg
Oral		
LD50	Rat	317 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin sensitization Causes skin irritation.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

PHENOL (CAS 108-95-2) 3 Not classifiable as to carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

- single exposure

Specific target organ toxicity

- repeated exposure

Aspiration hazard

Not classified.

Not classified.

Not available.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms.

Product		Species	Test Results
SL100 Series Part B Co	oating and Lining (A	All Colors)	
Aquatic			
Crustacea	EC50	Daphnia	0.3665 mg/l, 48 hours estimated
Fish	LC50	Fish	1.1945 mg/l, 96 hours estimated
Components		Species	Test Results
BENZYL ALCOHOL (CA	AS 100-51-6)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
ETHYLENEDIAMINE (	CAS 107-15-3)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	98.6 - 131.6 mg/l, 96 hours
PHENOL (CAS 108-95-	-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	4.7 - 6.4 mg/l, 48 hours

Components **Species Test Results** 

Fish LC50 Asiatic knifefish (Notopterus notopterus) 8 - 8.25 mg/l, 96 hours

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Aquatic

EC50 Crustacea Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL ALCOHOL 1.1 **ETHYLENEDIAMINE** -2.04, at pH 13

**PHENOL** 1.46

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / Dispose of in accordance with local regulations. Empty containers or liners may retain some product unused products

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

**UN** number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (PHENOL, 4-NONYL-, BRANCHED)

Transport hazard class(es) Class

9 **Subsidiary risk** 9 Label(s) Packing group III

Special precautions for Not available.

user

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241

**IATA** 

**UN number** UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (BENZYL ALCOHOL, PHENOL, 4-NONYL-,

**BRANCHED**)

Transport hazard class(es)

Class 9 **Subsidiary risk Packing group** TTT **Environmental hazards** No. **ERG Code** 9L

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Special precautions for Not available.

user

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Allowed with restrictions. Cargo aircraft only

**IMDG** 

**UN** number UN3082

**UN** proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ALCOHOL, PHENOL,

4-NONYL-, BRANCHED)

Transport hazard class(es)

Class 9 **Subsidiary risk** Packing group III

**Environmental hazards** 


Marine pollutant No. F-A, S-F **EmS** Special precautions for Not available. user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

**DOT; IATA; IMDG** 



# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**TSCA Chemical Action Plans, Chemicals of Concern** 

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ETHYLENEDIAMINE (CAS 107-15-3) Listed. PHENOL (CAS 108-95-2) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

ETHYLENEDIAMINE (CAS 107-15-3) 5000 LBS PHENOL (CAS 108-95-2) 1000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: SL100 Series Part B Coating and Lining (All Colors) 4948 Version #: 04 Revision date: 01-11-2018 Issue date: 08-21-2015

#### **SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
PHENOL	108-95-2	1000		500	10000
ETHYLENEDIAMINE	107-15-3	5000	10000		

**SARA 311/312** No

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
PHENOL	108-95-2	1.02	_

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PHENOL (CAS 108-95-2)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ETHYLENEDIAMINE (CAS 107-15-3)

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ETHYLENEDIAMINE (CAS 107-15-3)

PHENOL (CAS 108-95-2)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 08-21-2015

 Revision date
 01-11-2018

Version # 04

NFPA ratings Health: 3 Flammability: 0

Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

# **Revision information**

Product and Company Identification: Synonyms

Hazard(s) identification: Response Hazard(s) identification: Prevention

Physical & Chemical Properties: Multiple Properties

Material name: SL100 Series Part B Coating and Lining (All Colors)
4948 Version #: 04 Revision date: 01-11-2018 Issue date: 08-21-2015